Maharashtra University of Health Sciences, Nashik Inspection Committee Report for Academic Year 202-5-202-6

Clinical Material in Hospital

Name of College/Institute lifeline Institute of Nursing pandharpur Faculty. Nursing...

HOSPITAL DETAILS

Sr. No.	Particulars to be verified	Particular	Adequate/ Inadequate
1	The Institute / College shall execute a MoU with any institute for affiliation of hospital in addition to minimum100 bedded own/parent Hospital (Affiliatedhospitalmustbe50beddedor more.) To be made available on web site		odequate
a.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.: Copy to be made available on web site		Adequate
b.	Student Bed Ratio for UG & PG to be verified:(As per MSR) Calculate at Actual	a marie de	Adequate
C.	Average Bed Occupancy in %: (Minimum 75%)		Adequate
d.	Clinical facilities for PG to be verified:-(As per MSR)		Adequate
	(i) Whether OPD is functioning to be verified (ii) Total No of OPD (on the day of inspection) (iii) Average Number of patients attending OPD(current year)		Adequate
. 1	(iv) Average Number of Delivery (Current year)(v) Average Number of abnormal Delivery (Current year)		
•	As per Central Council Norms/ University Norms, above available at College. If Infrastructure is available, then mark "Adequate" & do		
	Documents it should be available on college website In case of "Inadequate", it must be marked as "Inadequate"		

Here we declare all relevant document uploaded are clear and visible on web site & are true as per my knowledge & Belief Any Other, Please Specify:-

Date:-


Chairman of LIC

Member Of LIC

submit to university with report

Dean/ Principal Samp & Signature
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur
Member Of LIC





registered under societies registration Act and the Bombay pubic trusts Act and I registered office pandharpur.

Noted and Registered 2 9 JAN 2024 Serial No.


100

Principal Lifeline Institute of Nursing Pandharpur, Dist. Sciapur

Run and maintain hospital in the Lifeline Institute, pandharpur hereafter called as THE HOSPITAL of the second part, for service attachment of the B.Sc nursing Education institute to, Siddhanath Foundetion Charitable Trust, pandharpur of nursing pane. Whereas students of the said Nursing embracing all pandharpur of nursing pane. Whereas students of the said Nursing embracing all the specialized training and the branches including nursing institutionary required to take specialized training and learning experience in clinical nursing embracing all the speculating and the branches including Training in operation theater and intensive care nursing during 4 year course of nursing education programmed And whereas the side truest has approach Lifeline Institute, Pandharpur the party Lifeline Institute, Pandharpur

And where the party of the second part of the trust established under the Bombay public charitable trust act and main tens the hospital in name of Lifeline Institute, pandharpur And this hospital in multi-specialty super specialty hospital Having the capacity of ______ beds and having all the in fracture required for the student Of B.Sc Nursing And where the office off The Foundation has been accepted by The Hospital and condition which. Fare mutually understood and agreed between the parties and which the parties here to desire to put in writing.

- The MOU is excited on the initially for the period of 30 years from the date of commencement of which may extended on mutual consent and agreement.
- 3. Shall send its BSc student for the purpose of training and experience to the hospital of the second part
- 4. Student to be place /clinical experience
- 5. Initially the total number of student placed with be divided in 4 batches and the number may increase in the succeeding year
- 6. Clinical area



- A) General duty: From Monday to Saturday except during vacation, tests and holiday of the hospital
- 7. The BSc Nursing (BSc) syllabus is designed to provide to students with knowledge of advanced nursing candidates can brush up on their medical abilities both surgical and non-surgical throughout this course it aims to improve professional nursing competencies critical thinking skills competencies and standards The Basic BSc Nursing program is a twoyear undergraduate program designed to improve the personal and -professional scope of work in the nursing industry
- 8. The entire student in every wards and OPD would be accompanied by their supervisors on the wards for guiding teaching and demonstrating nursing procedures to the student.
- 9. No students will leave in any ward of department without being supervised by the supervisors appointed for that purpose by the foundation
- 10. Rotation of the students will be planned in consolation which the nursing service Department of the hospital i.e Matron of the Hospital
- 11.Inspection : the authorities appointed by Government for the purpose of inspection for clinic specialties for the Nursing programmed as under a's under
 - A) Maharashtra University of Health Science (MUHS)
 - B) Maharashtra state Board of Nursing & paramedical Education Mumbai
 - C) India Nursing Council New Delhi
 - D) Government of Maharashtra Mumbai (DR/MEDD)
- 12. The demographic date of the required to finish at the time of inspection
- 13.Consideration

For their purpose of making the hospital available of training to be the student and for providing clinical facilities to the Siddhanath Foundation Charitable Trust, Pandharpur

It is here by understood between the parties that the foundation shall pay a consideration amount of Rs. 100/- per month per student during their clinical experience. The amount shall be paid by the Siddhanath

> Principal Lifeline Institute of Nursing Pandharpur, Dist. Solapur



Foundetion Charitable Trust, Pandharpur by the cherub drawn in favor Lifeline Institute, Pandharpur on or before the 10th of the every month .

14. Termination:-In case this MOU not viable to the parties here to for any reasons what so ever the party shall liberty to termination this MOU by giving one month notice in advance to the other party.

In case any damage or loss to the Hospital through any students the foundation will legal obligation to make good the same in totality. The decision of hospital shall be final in this regards. In case any dispute the parties the same will be subject to jurisdiction of pandharpur court.

Dr. Manjusha S Deshmukh

Lifeline Superspeciality Hosp

Pandharpur

Dr Sanjay Deshmukh Siddhanath Foundation charitable Trust, Pandharpur

NOTARIAL

Signed in witness: Ayor Date: 29/01/2024

Place: pand harp

Signature

Shri Manjush. S. Deshmahr Ro Penalharpur Sign./T.I. before me and identified by Shri AINH AVINCE

RO Pand har Pur

NARAYAN C. LAD Advovate & Notary R/o. 2484 Darshan Mandap Poad, Pandharpur-413 304. Dist. Solapur (Maha).

NARAYAN C. LAD PANDHARPUR DIST. SOLAPUR Reg. No. 8315 Exp. Date

Noted and Registered 2 9 JAN 2024 Serial No 195

गहाराज् 👑 :

शासन

सार्वजनिक आरोग्य विभाग

जिल्हा शल्यचिकित्सक

श्री.छत्रपती शिवाजी महोराज, शर्वापचार रुग्णालय गोलापूर

प्रमुन - सी

ं (नियम ५ अन्ययं)

बॉम्बे निसंग होम्स रजिस्ट्रेशन ऑक्ट १९४९ चे कलम ५ अन्वये नॉदणी प्रमाणपत्र

नोंदणी हः - 309

नोंदर्णी दिनांक - २३०० | २०१२

सर्टीफिकेट दिल्याचा दिनांक :- 23 02 2017 सदम्बे प्रमाणपत्र दिनांक :- 31 03 2019 प्रसुतीच्या रुग्णांकरिता :- 04 टेवलेल्या खाटांची संख्या

इतर रुग्णांकरीता वापरात :- 9 6 असलेल्या खाटांची संख्या

पर्यंत कार्यवाहीत राहील.

नोंदणी अधिकारी तथा जिल्हा शत्य चिकित्सक श्री.छ.शि.म.स.रु.सोलापुर

नुतर्गीकरण दिनांकः	नुतनीकरण कालावधी	जि.श.चि.स्वाक्षरी
	पासून प्रयंत	
31 03 2019	01/04/2019 31/03/2022	A,
09 06 2022	01 04 2022 31 03 2025	10 7612
		-10/01

- ा) े हे प्रमाणव हास्पिटलच्या दर्शनी भागत दिसेल अभा दिकाणी हादण मुख्ये आहे.
- 4) े आपत्या संस्थेत दाखल संसर्गनन्य हरणांधी irikali (Natifiable Diseases) संबंधित उपजिल्ला / छानील गळविल गरंजेचे शारे.
- जैसे नेल् नीर संयोधन नगरगालिकर पेळीर केळाँका भागत्यावर वंधनकारक आहे.
- कृत्य केल्याण (पुरिसी) शस्त्रिकाची आरुडवारी सर्वपति अपितलो / ग्रामील रुग्यालयास कृत्री ले दे<u>यनुसार</u> आहे.

ा । संस्थेत वार्यस्य निर्मा स्टाप्त योग्ये नससे भिट्याचेत्रसाञ्चीत हेन्य जिल्लाहमं अथट १९५४ नम् १ प्रश्नितिशस्त्राचीत्रस्य सदस्यो वार्यणी देखात स्थानान्त्रस्य

) वार्योगेडीकृत पेस्ट नियम १९९८ के ३२ व ५५ २००५ थे सत्तर फरणे वेपन हास्क आहे.

Reg No -) E 1735

Principal

Lifeline Institute of Nursing Pandharpur, Dist. Solapur

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781 Fax: 24024068/24023515 Website: http://mpcb.gov.in Email: pso@mpcb.gov.in a



Kalpataru Point, 2nd and 4th floor, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E), Mumbai-400022

RED/S.S.I

No:-Format1.0/PSO/UAN No.0000117922/CR /2/07 00 617

5Wadka 16062

shiras

30/12/2024

Lifeline Superspeciality Hospital

4776/90/91/92):,4776/90/91/92; Karad Naka, A/p- Pandharpur,

Tal, - Pandharpur, Dist - Solapur

4776/90/91/92, Karad Naka, A/p. Pandharour, Tal. - Pandharpur

Dist - Solapui

Solapur-413304

Email: lifeline pandhar pur@gmail.com

Contact No.:9822241698

Renewal of Combined Consent and BMW. Authorization (CCA) under the provisions of Water (P. & CP) Act., 1974, Air (P. & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

Ref: 1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide:110.1807000272, dated:06.07.2018

- 2: CCA refused vide no. 2105000255, dated 10.05.2021
- 3 Your application for Combine Consent and Bio Medical Waste Authorization: dated 28/07/2021
- 4. Report submitted by SRO- Solapur

After examining the proposal, The Maharashtra Pollution Control Board hereby Renew Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Authorization under Rule 5 of the Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, Under Environment (Protection) Act 1986: subject to terms and conditions as specified below and in the Schedules (I-IV) and Annexures (I-II) enclosed in this order,

- 1. This CCA shall be in force for a period From 17-09-2020 To 17-09-2025
- The capital investment of the HCF is ₹218.09 Lakhs (As per C.A Certificate submitted.) by HCF)
- 3. HCF Areas: Plot Area 920.50 M' with Built-up area 1104.60 M'
- 4. Activities Included

100 Nos (As per BNH certificate no. 329 valid upto. A Total Number of Beds 31-03-2022)

Likiline Superspeciality Hospitalicardani no procesconscin acconstrutação (30 a) 2021 03 :54 25 pm) 10MS (00 202100

Chairman Siddhanain Foundation Charitable Trust Pandharpur.

Principal Lifeline Institute of Nursing

Pandharpur, Dist. Solapur

- Conditions under the Water (P&CP) Act, 1974:
 - Duantity of total water consumption shall not exceed 30.00 Miday Trou soal not use the dround water without obtaining prior permission of Central Ground Water
 - You shall provide adequate treatment & disposet agine for severge & Efficient generated as specified in Annexure-1.
 - You shall provide Water merer of water intake positist at sevinge/Eiffüer), dispos pulphaga shall mailitain meathly records the recip
- Conditions under the Air (P&CP) Act, 1981:-
 - Yourshall use the fuel for DG set and Boiler(s) as specified in the Annexure II.
 - Tourshall provide acequate emission control system to DG set and Builgits. specified in Annexure-II.
 - You shall strictly observe goise standards applicable for DG set stack en and ambient noise level as per Annexure-II.
- 7. Conditions under Hazardous Waste (M & TM) Rules 2016:-

You shall have yallid membership of CHWTSDF and shall dispose the Hazardous waste nenerated Le ETP studge in strict compliance with said tules and maintain record

è	tubier	34.5	2000	1.14		1727	0.00.000	SECULIAR S	-	Same	Alah Paring	1523	13 -13 -111	1.4
15	STHE SHOE	4121.31	1	12013	32333		و وساوست	400	38.17	- Tri iii		15 T		12.0
3	11.	23.55	1	1	200	11/1/20	7757	ALC: N	1202		17 16 6	E	-we	1.
	15 C	V	7	には、自	Control	25.50	1.00	1931 35123		MILLUL			1	-
1	· 图形证据		101112	YELL	1977	2533	L'OSTS.		2000	15-15-15	T. Chillian	S. 315.3	17.75	
6		344	19.00	1111	122	011/2	24.20	W 393		110-		CHILIT	DF as D	15
1	10000	35.3	Chemi	cal slu	TUE	Santan S		2 2 V	100	Actu		10 miles 17 min	Co. 4 10 19 19 19	7.4
	1237	150 77	STacion	water	10 31	4	2.2 100	海色 百姓	163 F	200	1.	actual		-
	100	1185	MARKET ST	110212	N. S.N.	11.11	V TO THE	100	35, 31		Section	1.0		1
	1.50	treat	mente		1			100 - 200	CATALONS	1000	SAN 18 18	4117111	The Marie Sales	30
	1 1 1 1 1 1 1 1 1 1	14. 6 Take 1 14. 15.				1000	Literature and the second	124 4 -11	of the land with the	a decision.		11100	2010	44.7

- Conditions under Solid Waste Management rules 2016 (As Amended, 2018) and 2019):-
 - 1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as provisions of SWM Rules, 2016.
 - You shall Not mix general solid waste with Bio Medical Waste.
- Conditions under BMW Management rules, 2016 (As Amended, 2018 and 2019):-
 - You shall adhere to the RMW Generation quantity and storage conditions as specifiedin Schedule-Lof BMW Management Rules, 2016, as amended.
 - You shall segregate and handover BMW to BMW T&D CTF M/s Bioclean Systems India Pvt, Ltd. Strictly complying with the Provisions of Schedule Land Maintain record of the same.
 - 3. Cytotoxic Drugs/ Waste: You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused: cytotoxic drugs/waste and submit details of Management and Handling of othdated discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year,
 - Mercury Waste: You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transplatation and disposal) as per guidelines published by CPCB as detailed in document entitled. Environmentally Sound Management of Mercunc Waste in (www.cpcb:nic a)

MPCB-CONSENT-0000117322 (30-07-2021 03:18:25 pm) (QMS. POS

Principal

Lifeline Institute of Nursing Pandharpur, Dist. Solapur Page No 06

Siddhanain Foundation Charitable Trust

Chairman

Pendharpur.

- 10. You shall not undertage Modifications) Opgredation in existing facility without operation prior Environment Clearance under the Frovision of Eld politication. 2006 O to Establish from the MEC Board as applicable.
- 11. Any unauthorized change in Location. Name personnel equipment of casta la stitutanas llana voi ya ma teologica di musa nall'agnatituta a pasac la case in an schanie xou shall apply tresh for Cox or amenument as acolicable
- 12: Your shall not Rent: Lend (Sell's Transfer or Clase Down the facility or other transport / Handover the Bio-Medical waste generated for any other nurpose without obtaining prior written permission of the MPC Board.
- 13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable lander this CCA and the same shall be binding on the HCE.
- 14, (You shall maintain records of MPC roard Officers visit and shall oney all the lawfu instructions is sued by the Board Officers from time to time? (2015)
- 15. Any violation of provisions of BMW, Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1935 and Violations under the provisions of Water (P&CP) Act 1974 Air (P&CP) act 1981 shall attract provisions of saspactive action cingibo closife of the facility and prosecution in
- 16. This CCA shall not be construed as exemption from jobtaining necessary NOC/permission from any other Government agencies as applicable.
- 17: As per the tenoritor SRO. Solapur Bank Guarantee of Rs. 1.50 lakh is eligible to release for provision of separate BMW storage facility and installation of STP, Bank Guarantee of Rs, 50,000% is for elted for non submission of analysis report of STP carried by Board to ensure O & M of STP and double BG is imposed for same:

For and on behalf of the Maharashtra Pollution Control Board.

> (Dic A. R. Supate) Principal Scientific Officer

Received Consent/Authorization fee of

1	75000.00	TXN2010001593	18/10/2020 Online Fayateners
201	15000 00	TXN2107001641	15/07/2021 Online Payment
			18/10/2020 Online Payment Visit
		TXN2010001602	15/07/2021 Online Payment

Earlier CCA villa UAN no. 99646 of Consent and UAN no. 29539 of BMW authorization was refused on 10.05.2021 for which CCA fee of one term Rs. 20,000/- is forfeited and remaining fee is considered to grant this CCA

- 1. Regional Officer, MPCB, Pune and Sub-Regional Officer, MPCB, Solabura
- You are directed to ensure the compliance of the consent conditions and BC imposed.
- 2, Cheif Accounts Officer, MPCB Sion, Mumbai
- 3. I/C EIC- for record & website updating purpose.

Chairman Matricolo Trust Liteline Superspecialty Hospital CRIVAN No. 1

Principal

'Isyadka 16062

Lifeline Instituto of Nursing Pondharpur, Dist. Solopur

Chairman Josep Charlable Trust

Annexure - 1

Conditions under Water (P. & CP), 1974 Act: (Refer Condition No. 5)

120214	aumption treating	
	Industrial Cooling, spraying in mine pits or builer feed and a series	30.00
2.	Somestic purpose. It is a polluted or pollutants are easily in processing whereby water gets polluted or pollutants are easily in the process of the process	0.00
+	piodegradable Processing whereby water gets polluted & pollutants are not easily.	0.00
"君是是	rbrodegradable and are toxic	1.0/8/0.00
1251.3	Other such as agriculture, gardening, etc.	248.7

Conditions for Sewage & Effluent Generation, Treatment and Disposal:

	COUNTROLD TO THE STATE OF THE S	1
ď.	而是"如果"的"我们"的"我们"的"我们"的"我们"的"我们"的"我们"的"我们"的"我们	í
	情情的。这是这些的情况是是是一种的情况是一种的情况,但是是一种的情况,但是是一种的情况,但是是一种的情况。	į
Ţ.,	但是如德国自身第三位的特别的自己的是自己的是自己的自己的对象。	6
1		
	The state of the s	
i,	是在是一个人的,我们就是一个人的,我们就是一个人的,我们就是一个人的,我们就是一个人的,我们就是一个人的,我们就是一个人的,我们就是一个人的,我们就是一个人的,	1
9	Language of the second	
100	Domestic Sevage 25.0 25.0 Plants Recycle 1	į
5		į
	Trade efficient 0 As per clause of the property to	
ÿ.	1 2 1 1 Trace enjuery	i

. You shall operate the combined waste water treatment print of adequate design and coparity to treat the domestic rewages and trade effluent, so as to achieve the following standardy as prescribed below under E.(P) Acti 1996 and Rules made there under and lecycle after achieving

1 pH 2 6.5.9.0 10 10 2 10 3 BoD (3 days 27°C) 250	1 pH	ndard prescribed below	
y BUMB [) 보이트 2007 (1907 - 1	3. BOD (3 days 27°C) 10 4 COD 100		partition of the state of the s
y BUMB [) 보이트 2007 (1907 - 1	3. BOD (3 days 27°C) 10 4 COD 100	1 ph	10
250 250 250 250 250 250 250 250 250 250	4 COD 100		
	5 That Suspended solids 100 200 200 200 200 200 200 200 200 200	19/11/100D (3/03/55/57/57/57/57/57/57/57/57/57/57/57/57/	250

- You shall ensure replacement of pollution control system or its parts after expiry of its expedted life as defined by manufacturer so as to ensure the compliance of standards and safety of the
- You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility, is
- The Applicant shall obtain pripi consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- You shall provide Specific Water Pollution control system as per above conditions and cond of Environmental Clearance, if applicable.

Lifeline Superspeciality Hospitay/CR/VXV No. HPCa-CONSENT-0000317977 (30 07-2071 03 50:75 p

Principal

vadka 6062


Lifeline Institute of Nursing Pandharpur, Dist. Golapur

Chairman


Side honsin Foundation Charitable Trust Pandhamur


Annexure - II Terms & conditions for incinerator(s) and D.G. Set(s) under Air (P. & CP) Act. 1981 and Blo Medical Waste management Jule, 2016: (Refer, Condition No.6) You shall poserve following fuel pattern and erect following stack (s) 25 00 Ltr/Hr DG set 200 KVA Dieselv V The Applicant shall cotain prior permission of MPC board for providing additional control, equipment Pwith, necessary specifications land operation thereof cor ceplacement/alteration well before its life come to an end or efection of new pollution v. control equipment 3. The Board reserves its rights to vary all or any of the condition in the consent; if due to any technological improvement or otherwise such variation/(including the change o any control équipment, elther in whole or in part as necessary); Conditions for D.G. Set a: Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise; Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 (dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average. s You shall make efforts to bring down noise level due to DG set, outside industrial premises; Within ambient noise requirements by proper sitting and control Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer. Vadka 6082 e: A proper routine and preventive maintenance procedure for DG set should be set niras and followed in consultation with the DG manufacturer which would help to 2/202 prevent noise levels of DG set from deterlorating with use. D.G. Set shall be operated only in case of power failure. g. The applicant should not cause any nuisance in the surrounding area due to properation of D.G. Set. h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel. You shall take adequate measures for control of noise levels from its own sources within the pretnises so as to maintain amblent air quality standard in respect of hoise. to less than 75 dB (A) during day time and 70 dB (A) during night time. Day, time is reckoned in between 6 a,m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a m. Lifeline Superspeciality Hashinguca will No Meta Constitution 17577 10 00 11 01 12 25 pm 10MS, POB F02/00 Trustee Chairman Principal Siddnamath Foundation Charitable Trust Lifeline Institute of Nursing Pancharpur. Pandharpur, Dist. Solapur


T. Y. Jahren	re autorialiste construction de la construction de	nergones an	or Management of s granted for Ganer d gualdet for Ganer d gualdet for John of the Castle of the Castle of The Castle of the Cas			Maria Waste	
	1		r Human Anatomical haste y Animal Anatomical	0,00	non-chlorinated; plastic bags	shall be sent to MPCII authorized BMW-CTF Bioclean system India pvt Ltd., Solapur	
			voste Jysolled Waste JJExpired of t Discalded Medicines	80.00 115.00			
			a) (Ghemical Waste I) Ghemical Uquid Waste	0.00	Separate collection system leading to a effluent freatment system		
			il) Discarded linen mattresses, beddings contaminated with	50.00	Yellow colcured non- chlomated plastic bags of suitable packing material		1
CARY			blocd or body fluid IN: Alcrobiology Biotechnology and (); cinec eligical (); laboratory waste ()	760,00	Autoclave Safe plastic bags of containers:	pre-treat to sterifize of with nonchlorinated chemicals on site as a per National AIDS; on troit of Organisation or World Health	
RI wadkar to 16062 dt hirae DI 2/2024						Organisation quidelines thereafter sent to BMW-CTF for Incineration.	
DI IND	2	Red	Contaminated waste (Recyclable)	200.00	Red coloured non chlorinated plastic bags or containers.	Bio mèdical Waste shall be sent to MRCB authorized BMW-CTF Bioclean systèm India	
300000	3	White (Translucent	5. 五处一次的一个。	60.00	Puncture proof, Leak proof, tamper proof container. Cardboard boxes	Pvt Ltd., Solapur	
	A	Blüe	a) Glassware b) Metallic body implants	25.00	- luith Blue coloured		
						Condition Co. to Board	



			SCHEDULE	
		Bank Guarantees)	erued by operator.	
	1. Bank G	uarantee imposed to ensure timely compliance; in be obs		
	LIA	Operation and Maintenance To Sagregate and Handle RMW.as Continuous	50,000.00	
		Tier, Schiedule de la constant de la		
		Towards Operation 201 Maintenance. Continuous of STP/ETP to achieve prescribed:	*! *** Y66 600 60	
		dischargeistandards		
	7.10 - 162 7.10	Records (FBMW) and		
	1	submission of Annual Report for Continuous preceding calendar year in Form -IV before 30th June every year	25,000.00	
		To maintain records of BMW handed Continuous	25,000.00	
		Total: You shall extend the above submitted Bank Guara	2,00,000.00	
A. Riswadkar Ni. 16062 Radiniras 30.12/2024 DF INDIA				
			Xable 2	
	4		160 26 1	







Foundetion Charitable Trust, Pandharpur by the cherub drawn in favor Lifeline Institute, Pandharpur on or before the 10th of the every month . 14. Termination:

In case this MOU not viable to the parties here to for any reasons what so ever the party shall liberty to termination this MOU by giving one month notice in advance to the other party.

In case any damage or loss to the Hospital through any students the foundation will legal obligation to make good the same in totality. The decision of hospital shall be final in this regards. In case any dispute the parties the same will be subject to jurisdiction of pandharpur court.

516 Doub De

Dr. Shrikant K Devkate Chiranjeev Hospital, Pandharpur

Dr Sanjay Deshmukh Siddhanath Foundation charitable Trust, Pandharpur

Signed in witness:

Denkate Ropandha Sign./T.I. before me and identified by Shri Ajoy anore RO Pasche

NARAYAN C. LAD Advovate & Notary R/o. 2484 Darshan Mandap Road, Pandharpur-413 304. Dist. Solanur (Maha)



Noted and Registered

2 9 JAN 2024











Pandharpur registered under societis registration Act and the Bombaay pubic trusts Act and I registered office pandharpur.

Run and maintain hospital in the Lifeline Institute, pandharpur hereafter called as THE HOSPITAL of the second part, for service attachment of the B.Sc nursing Education institute to, Siddhanath Foundation Charitable Trust, pandharpur of nursing pane. Whereas students of the said Nursing embracing all the speciation and the branches including nursing institutionary required to take specialized training and learning experience in clinical nursing embracing all the speculating and the branches including Training in operation theater and intensive care nursing during 4 year course of nursing education programmed And whereas the side truest has approach Lifeline Institute, Pandharpur the party Lifeline Institute, Pandharpur

And where the party of the second part of the trust established under the Bombay public charitable trust act and main tens the hospital in name of Lifeline Institute, pandharpur And this hospital in multi-specialty super specialty hospital Having the capacity of _______ beds and having all the in fracture required for the student Of B.Sc Nursing And where the office off The Foundation has been accepted by The Hospital and condition which. Fare mutually understood and agreed between the parties and which the parties here to desire to put in writing.

- The MOU is excited on the initially for the period of 30 years from the date of commencement of which may extended on mutual consent and agreement.
- 3. Shall send its BSc student for the purpose of training and experience to the hospital of the second part
- 4. Student to be place /clinical experience
- 5. Initially the total number of student placed with be divided in 4 batches and the number may increase in the succeeding year

6. Clinical area

- A) General duty: From Monday to Saturday except during vacation, tests and holiday of the hospital
- 7. The BSc Nursing (BSc) syllabus is designed to provide to students with knowledge of advanced nursing candidates can brush up on their medical abilities both surgical and non-surgical throughout this course it aims to improve professional nursing competencies critical thinking skills competencies and standards The Basic BSc Nursing program is a twoyear undergraduate program designed to improve the personal and professional scope of work in the nursing industry
- 8. The entire student in every wards and OPD would be accompanied by their supervisors on the wards for guiding teaching and demonstrating nursing procedures to the student.
- 9. No students will leave in any ward of department without being supervised by the supervisors appointed for that purpose by the foundation
- 10. Rotation of the students will be planned in consolation which the nursing service Department of the hospital i.e Matron of the Hospital
- 11.Inspection : the authorities appointed by Government for the purpose of inspection for clinic specialties for the Nursing programmed as under as under
 - A) Maharashtra University of Health Science (MUHS)
 - B) Maharashtra state Board of Nursing & paramedical Education Mumbai
 - C) India Nursing Council New Delhi
 - D) Government of Maharashtra Mumbai (DR/MEDD)
- 12. The demographic date of the required to finish at the time of inspection 13.Consideration

For their purpose of making the hospital available of training to be the student and for providing clinical facilities to the Siddhanath Foundation Charitable Trust, Pandharpur

It is here by understood between the parties that the foundation shall pay a consideration amount of Rs. 100/- per month per student during their clinical experience. The amount shall be paid by the Siddhanath

> Principal Lifeline Institute of Nursing Pandharpur, Dist. Solapur



Foundation Charitable Trust, Pandharpur by the charub drawn in favor Lifetime institute, Pandharpur on or before the 10th of the every month. 14 Termination -

in case this WOU not viable to the parties here to for any reasons what so ever the party shall liberty to termination this MOU by giving one month notice in advance to the other party.

in case any damage or loss to the Hospital through any students the foundation will legal obligation to make good the same in totality. The decision of hospital shall be final in this regards. In case any dispute the parties the same will be subject to jurisdiction of pandharpur court.

344

Or. Steel (CStat) Navige at Childret Wultispedality Hospital, Patdiamur Dr Sanjay Deshmukh Siddhanath Foundation charitable Trust, Pandharpur

Deter it withers for the Land of the Land

Sgrature

Sp. T. jeine de 21 cedies

DESTRUCTION OF THE PROPERTY.

MARAYAN G. LAD

Advovate & Notary Pio 2454 Danstan Wandap Road Pandhamur-413 304

Del Solanur (Wate)

* NURRYLAN C. LAD *
PANDHURPUR
OUT DIST. SOLAPUR
Reg. No. 8315
Exp. Date
19/09/2025
PANNEL T
OF

erante PI





"Duplicate

सत्यमेन जयरो महाराष्ट्र शासन

सार्वजनिक आरोग्य विभाग जिल्हा शल्य चिकित्सक कार्यालय,सोलापूर

प्रपत्र - सी (नियम ५ अन्वये)

बॉम्बे नर्सिन होम्स रजिस्ट्रेशन ॲक्ट १९४९ चे कलम ५ अन्यये नोंदणी प्रमाणपत्र

प्रमाणपत्र देण्यात येते की, दि बॉम्बे नर्सिंग होम्स रजिस्ट्रशन ॲक्ट १९४९ अन्वये

डॉ. शी/शीमती हैं। क्षितल् कातीलाल् शह(
यांचे नव जीवन चिल्ड्रेन अल्टिस्प्रशासिटी ह्यस्पिटल, पैडक्पूर
नर्सिंग होम/मॅटर्निटी होम रजिस्टर केले असून सदरचे नर्सिंग होम व मॅटर्निटी होम चालविण्यास परवानगी देण्यात येत
आहे.

अरालेल्या खाटांची रांख्या

प्रस्तीच्या रुग्णांकरिता नोंदणी क्र. 00 25 वेवलेल्या खाटांची संख्या इतर रुग्णांकरिता वापरात नोंदणी दिनांक 05 04 | 2007 90

05/04/2007 सर्टिफिकेट दिल्याचा दिनांक : 17/04/2023

सदरचे प्रमाणपत्र दिनांक : उ। 03 2026 पर्यंत कार्यवाहीत राहील.

2 2:	नुतनीकरण	जि.श.चि. स्वाक्षरी	
नुतनीकरण दिनांक —	पासून	पर्यंत	Tolly Adding
		111	

 १) है प्रमाणपत्र हॉस्पीटलच्या दर्शनी दिसेल अशा विकाणी लावणे गरजेचे आहे. ्र) आपल्या संस्थेत दाखल संसम्जन्य कम्पांची माहिती (Notifiable Diseases) रांबंधित उपजिल्हा/प्रामीण कम्पालयास कळविणे गरजेचे आहे.

 जन्म मृत्यू नोंद संबंधित नगरपालिकेस वेळेवर कळविणे आपल्यावर वंपनकारक आहे. ४) कुटुंव कल्याण (पु./नन्नी) शस्त्रक्रिया आकडेवारी संवंधित उपजिल्हा/ग्रामीण रुग्णालयास कळविने दंपनकारक आहे.


॰/ ५५५ ५) संस्थेत कार्यरत नर्सिंग स्टाफ बॉम्बे नर्सेस भिडवाईफस ॲंन्ड हेल्य व्हिजीटर्स ॲक्ट १९५४ नुसार प्रशिक्षित असन्याच्या अटीवर सदरची नोंदणी देण्यात आते आहे.

६) वायोमेडीकल बेस्ट नियम १९९८ क. ३२ व ४९/२००६ चे पातन करणे बंधनकारक आहे

Principal

Lifeling Institute of Nursing Panal. . . rpur, Dist. Solapur

Siddhanath Foundation Chantable Trust Pandharpur



MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781 Fax: 24024068/24023515 Website: http://mpcb.gov.in Email: pso@mpcb.gov.in



Kalpataru Point, 2nd and 4th floor, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E), Mumbal-400022

RED/S.S.I

No:- Format1.0/PSO/UAN No.0000140731/CR/2207000454


Navjeevan Children Hosptial C. S. No. 4647/28/6/2, ,C. S. No. 4647/28/6/2, College Road, Behind Saragam Cinema, Pandharpur, Tal. - Pandharpur, Solapur-413304

Emall:drskshah_009@yahoo.com Contact No.:9822086691

Your Service is Our Duty

Date: 08/07/2022

Renewal of Combined Consent and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.



- 2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 09/05/2022
- 3. SCN for refusal dtd 01.07.2022
- 4. Document uploaded on 04.07.2022.

After examining the proposal, The Maharashtra Pollution Control Board hereby Renew Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Authorization under Rule 5 of the Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, Under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the Schedules(I-IV) and Annexures (I-II) enclosed in this order.

- This CCA shall be in force for a period From 21-04-2022 To 21-07-2027
- The capital investment of the HCF is ₹98.03 Lakhs (As per C.A Certificate Submitted
- 3. HCF Area: Plot Area 314.73 M2 with Built-up area 410.08 M2.
- 4. Activities Included
 - a. Total Number of Beds : 90 Nos. (As per BNH certificate no. 25 valid upto 31-03-2023)
- 5. Conditions under the Water (P&CP) Act, 1974:-
 - 1. Quantity of total water consumption shall not exceed 8.00 M³/day. You shall not use the ground water without obtaining prior permission of C ntral Ground Water Authority.

Chairman table Truct

Page 1 of 10

Navjeevan Children Hospital/CR/UAN No.MPCB-CONSENT-0000140731 (08-07-2022 05:08:36 pm) /QMS.P06_F02/00

Principal

rustee

Lifeling Institute of Nursing Pandharpur, Dist. Solapur

Pandharpur.

- You shall provide adequate treatment & disposal facility for sewage & Effluent generated as specified in Annexure-I
- You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.
- Conditions under the Air (P&CP) Act,1981:-
 - You shall use the fuel for DG set as specified in the Annexure-II.
 - 2. You shall provide adequate emission control system to DG set as specified in Annexure-II.
 - 3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per Annexure-II.
- Conditions under Hazardous and Other Wastes(Management, Handling & Transboundry Movement) Rules 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated i.e. ETP sludge in strict compliance with said rules and maintain record thereof.

Sr No Type of Waste	HW Category no.	Quantity	UOM Disposal
1 .	NA	As per Actual	NA NA

- Conditions under Solid Waste Management rules 2016 (As Amended, 2018 and 2019):-
 - 1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
 - 2. You shall Not mix general solid waste with Bio Medical Waste.
- Conditions under BMW Management rules, 2016 (As Amended, 2018 and 2019):-
 - You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
 - 2. You shall segregate and handover BMW to BMW T&D CTF Bioclean Systems India Pvt. Ltd., Solapur Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
 - 3. Cytotoxic Drugs/ Waste: You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
 - 4. Mercury Waste: You shall manage the Mercury Waste In HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste In Health Care Facilities" (www.cpcb.nlc.ln).
- 10. You shall not undertake Modifications/ Upgrdation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.

Chairman

rustee Siddhanath Foundation Charitable Trust

Havjeevan Children Hospital/CR/UAN No.MPCB-CONSENT-0000140731 (08-07-2022 05-935 pm) /QMS.PO6_P02/00

Page 2 of 10

Lifeline Institute of Nursing Pandharpur, Dist, Solapur

- 11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
- 12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
- 13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
- 14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
- 15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
- 16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
- 17. As per SRO remark dtd 24.06.2022 the hospital has provided a separate storage facility for Bio-Medical Waste and provided an STP. Hence The Bank Guarantee of Rs.25000/- & Rs. 50000/- are eligible to release imposed towards the provision of separate BMW storage facility and To provide STP respectively.
- 18. You shall submit the bank guarantee of INR 75000/- towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Pune within 30 days. Non submission of B.G. In specified time shall attract revocation of this CCA without further notice





ğ	£184	5e84
8	bf20	EEbd.
3	4349	
9	30f2	e3c6
ă	24ab	32b4
Æ	670d	Pocf
Н	cbb9	57cf
4	d72f	
54		

Signed by: Dr. Amar R. Supate
Principal Scientific Officer
For and on behalf of,
Maharashtra Pollution Control Board
pso@mpchgov.id
2022-07-08 17:08 58 IST

Received Consent/Authorization fee of -

SPNO	Amount(Rs)) Transaction/DR N	o Date	Transaction Type
1	25000.00	TXN2206000787		Online Payment
2	3360.00	TXN2206003296	30/06/2022	Online Payment
3	25000.00	TXN2206001015	09/06/2022	Online Payment

Capy to:

- 1. Regional Officer, MPCB, Pune and Sub-Regional Officer, MPCB, Solapur
- They are directed to ensure the compliance of the consent conditions.
- Cheif Accounts Officer, MPCB, Sion, Mumbai
- 3. I/C EIC- for record & website updating purpose.

rustee Chairman

Siddhanath Foundation Charitable Trust

Pandharpur.

Navjeevan Children Hosptial/CR/UAN No.MPCB-CONSENT-0000140731 (0 77-022 (3) 635 pm)

Page 3 of 10

Lifeline Institute of Nursing Pandharpur, Dist. Solapur



Annexure - I

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

9300	A Guides Convention Confunction (1971)	Water (Consumption)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	8.00
3.	Processing whereby water gets polluted & pollutants are easily blodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

SY (V	a le Costiguoi	Permitted quantity of discharge (CMD)	Ganterioteiro (Gillivia)	<u>Ooste</u> ns
i	Domestic Sewage	7.00	As per clause 'C'	Partially on land for gardening and excess in Municipal sewer line
2	Trade effluent	0	As per clause 'C'	NA

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle after achieving standard prescribed below.

Szil	Diamer.	Discharge Standards applicable in Limiting Concentration in mg/except for phi
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

Trustee

Chairman

Siddhanath Foundation Charitable Trust

Navjeevan Children Hospital/CR/UAN No.MPCB-CONSENT-0000140731 (08-07-2022 05:08:36 pm)
// OMS.POS_POZ/OO
Principal

Page 4 of 10

Lifeline Institute of Nursing Pandharpur, Dist. Solapur

Annexure - II

Terms & conditions for incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Blo Medical waste management Rule, 2016: (Refer Condition No.6)

You shall observe following fuel pattern and erect following stack (s):

5; 10	Stack Attached	Guelfayye	Quality	Stack Height
1	D. G. Set (125 KVA)	Diesel	5.00 Ltr/Hr	5.00

- The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
- The Board reserves its rights to vary all or any of the condition in the consent, if due to
 any technological improvement or otherwise such variation (including the change of
 any control equipment, either in whole or in part as necessary).
- 4. Conditions for D.G. Set:
 - a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A sultable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
- 5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

Trustee

Chairman

Siddhanath Foundation Charitable Trust

Pandharpur.

Navjeevan Children Hosptial/CR/UAN No.MPCB-CONSENT-0000140731 (08-07-2022 05:08:36 pm)

/QMS.PO6_F02/00

Principal

Page 5 of 10

Lifeline Institute of Nursing Pandharpur, Dist. Solapur



SCHEDULE-I

Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation and Segregation of BloMedical Waste (BMW) in waste categories and quantities listed here in below:

) 6 (Clejny	Typed/Wate	Quantity of to excee (Kg/Mont		ing ing page 1
	1 Yellow	a) Human Anatomical waste		Yellow coloured non-chlorinated	Bio medical Waste shall be sent to MPCB
		 b) Animal Anatomical Waste 	0,00	plastic bags.	authorized BMW-CTF Bloclean Systems India
		c) Solled Waste	40.00		Pvt. Ltd., Solapur Solapur
		d) Explred or Discarded Medicines	10.00		
	4	e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	7
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	. 20.00	Yellow coloured non - chlorinated plastic bags or sultable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	20.00	Autoclave safe plastic bags or containers.	Pre-treat to sterilize with nonchlorinated chemicals on-site as per National AIDS Control Organisation or World Health Organisation guidelines thereafter sent to BMW-CTF for Incineration.
2	Red	Contaminated waste (Recyclable)	150.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF
3	White (Translucent)	Waste sharps including Metals	20.00	Puncture proof, Leak proof, tamper proof container.	Bioclean Systems India Pvt. Ltd., Solapur Solapur
4	Blue	a) Glassware	10.00	Cardboard boxes	
		b) Metallic body Implants	10.00	with Blue coloured marking.	

Chairman Trustee Siddhanath Foundation Charitable Trust Pandharpur.

Navjeevan Children Hospital/CR/UAN No.MPCB-CONSENT-0000140731 (08-07-2022 05:08:36 pm) /QMS.PO6_F02/00 Principal

Page 6 of 10

Lifeline Institute of Nursing Pandharpur, Dist. S. Japur

Responsibilities of the HCE Owner and CTF Operator of the Facility

- 1. You shall handover Blo Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility Bloclean Systems India Pvt. Ltd., Solapur and maintain records thereof for 5 years.
- You shall establish bar code for handling of bio-medical waste.
- You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
- You shall not store Bio Medical waste beyond 48 hours from the generation. 4.
- You shall use only non-chlorinated plastic coloured bags.
- You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
- 7. You shall not mix General/other Solid waste with Bio Medical Waste.
- 8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
- You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
- 10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
- 11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/ metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
- 12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
- 13. You shall undertake appropriate medical examination of all BMW Waste handlers &staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
- 14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
- 15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
- 16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
- 17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to Improper handling of biomedical wastes.
- 18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec. including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Pune and uploading the same to MPCB Portal (https://www.ecmpcb.in/).
- 19. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 120 days of expiry.

Navjeevan Children Hospital/CR/UAN No.MPCB-CONSENT-0000140731 (08-07-202 20410836 pm) /QMS.PO6_F02/00

Principal Siddhanath Foundation Charitable Trust Pandharpur

Lifeline Institute of Nursing Pandharpur, Dist. Solapur



SCHEDULE-III

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

7,177	Activity/Condition to be Complied	Compliance Timeline (Months	, ,	
1A	Operation and Maintenance			
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00	
2	Towards Operation and Maintenance of STP/ETP to achleve prescribed discharge standards	Continuous	25,000.00	
1B	Records			
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00	
2	To maintain records of BMW handed over to CBMWTDF	Continuous	10,000.00	
G-	Total		75,000.00	

Note: You shall extend the above submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.

> Chairman Siddhanath Foundation Charitable Trust Pandharpur.

Navjeevan Children Hospital/CR/UAN No.MPCB-CONSENT-0000140791 (08-07-2022 05:08:36 pm)
/QMS.PO6_F02/00
Principal

Page 8 of 10

Lifeline Institute of Nursing Pandharpur, Dist. Colingur



General Conditions

The following general conditions shall apply:-

- You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
- 3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
- 4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Pune.
- 6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
- 7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
- You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
- 11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
- 12. The non-hazardous solld waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from clvlc authorities for disposal of solid waste.
- 13. You shall achieve the National Amblent Air Quality standards prescribed vide Government of Indla, Notification Dated. 16/11/2009 as amended.

Navjeevan Children Hospital/CR/UAN Na.MPCB-CONSERT-0000140731 (08-07-2022 05:00:36 pm)

/QMS.PO6_F02/00

Principal Siddhanath Foundation Charifage 9 of 30

Pandharpur.

Pandharpur.

Lifeline Institute of Nursing Pandharpur, Dist. Solapur



- You shall submit an official e-mall address and any change will be duly informed to the MPCB.
- 15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
- 16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
- 17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhave to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
- You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.

This certificate is digitally & electronically signed.


Trustee Chairman
Siddhanath Foundation Charitable Trust
Pandharpur.

Navjeevan Children Hospital/CR/UAN No.MPCB-CONSENT-0000140731 (08-07-2022 05:08:36 pm)
-/QMS.PO6_F02/00 Principal

Page 10 of 10

Lifeline Institute of Nursing Pandharpur, Dist. Solapur





Run and maintain hospital in the Lifeline Institute, pandharpur hereafter called as THE HOSPITAL of the second part, for service attachment of the B.Sc nursing Education Institute to, Siddhanath Foundation Charitable Trust, pandharpur of nursing pane. Whereas students of the said Nursing embracing all the speciation and the branches including nursing institutionary required to take specialized training and learning experience in clinical nursing embracing all the speculating and the branches including Training in operation theater and intensive care nursing during 4 year course of nursing education programmed And whereas the side truest has approach Lifeline Institute, Pandharpur the party Lifeline Institute, Pandharpur

And where the party of the second part of the trust established under the Bombay public charitable trust act and main tens the hospital in name of Lifeline Institute, pandharpur And this hospital in multi-specialty super specialty hospital Having the capacity of ______ beds and having all the in fracture required for the student Of B.Sc Nursing And where the office off The Foundation has been accepted by The Hospital and condition which. Fare mutually understood and agreed between the parties and which the parties here to desire to put in writing.

- The MOU is excited on the initially for the period of 30 years from the date of commencement of which may extended on mutual consent and agreement.
- 3. Shall send its BSc student for the purpose of training and experience to the hospital of the second part
- 4. Student to be place /clinical experience
- Initially the total number of student placed with be divided in 4 batches and the number may increase in the succeeding year
- 6. Clinical area



- 7. The BSc Nursing (BSc) syllabus is designed to provide to students with knowledge of advanced nursing candidates can brush up on their medical abilities both surgical and non-surgical throughout this course it aims to improve professional nursing competencies critical thinking skills competencies and standards The Basic BSc Nursing program is a twoyear undergraduate program designed to improve the personal and professional scope of work in the nursing industry
- 8. The entire student in every wards and OPD would be accompanied by their supervisors on the wards for guiding teaching and demonstrating nursing procedures to the student.
- 9. No students will leave in any ward of department without being supervised by the supervisors appointed for that purpose by the foundation
- 10. Rotation of the students will be planned in consolation which the nursing service Department of the hospital i.e Matron of the Hospital
- 11.Inspection : the authorities appointed by Government for the purpose of inspection for clinic specialties for the Nursing programmed as under as under
 - A) Maharashtra University of Health Science (MUHS)
 - B) Maharashtra state Board of Nursing & paramedical Education Mumbai
 - C) India Nursing Council New Delhi
 - D) Government of Maharashtra Mumbai (DR/MEDD)
- 12. The demographic date of the required to finish at the time of inspection 13. Consideration

For their purpose of making the hospital available of training to be the student and for providing clinical facilities to the Siddhanath Foundation Charitable Trust, Pandharpur

It is here by understood between the parties that the foundation shall pay a consideration amount of Rs. 100/- per month per student during their clinical experience. The amount shall be paid by the Siddhanath

Principal

Lifeline Institute of Nursing Pandharpur, Dist. Solapur .



	000	Ouplicate!
4.6 - 12.2 - 14.2 - 14.2 - 14.2 - 14.2 - 14.2 - 14.2 - 14.2 - 14.2 - 14.2 - 14.2 - 14.2 - 14.2 - 14.2 - 14.2 -		
	संस्थाव जवारी	
	महाराष्ट्र शासन	
	'सार्वजनिक आरोग्य विभ जिल्हा शल्य विकित्सक कार्यालय सो	
	प्रपत्र – सी	
	्रियम ५ अन्वये .) च रजिन्द्रेशन ॲक्ट १९४९ चे फलम ५	अन्यये नोंदणी प्रमाणपत्र
	स राजास्त्राम अयद ३ र ४ र प पर्रा हो की दि बॉम्बे नर्सिंग होम्स रजिस्ट्रशन ३	10. 지나님은 사람은 14분에 들어보는 이 그런 사람들이 가게 된다. 하는 사람들이 가장 하는 것이 되어 되었다. 그 이 사람들이 되었다.
डॉ. श्री/श्रीमती च्या न्य	रिकोत जाशीनाभ दिव	and the second
यांचे कि रे की व	क्रिसित्ता " श्रमी मार्रा	चिह्नरपर ^{यथाल} ।
निर्सिन होम/मॅटर्निटी होम रेजिस	ए केले असून सदरचे नर्सिंग होम व मॅटर्निट	ही होम चालिनिष्योस परवानगी देण्यात थेत
आहे.		
नोंदणी के. 29	प्रसुतीच्या राणा ठेवलेल्या खाटां	
नोंदणी दिनांक ०५०५ द	२०० ७ इतर रूगांकरित असलेल्या खाटा	
하다 마음 하시 하는 사람은 내가 있었습니다. 사람은 사라를 가난 사람은		지구 보고 가입하다 하나 살아보다는 생각이 되었다면서 그리고 있는데 그리고 있는데 그 모든데 그 모든데 그리고 있다.
2	7412007	
सर्टिफिकेट दिल्याचा दिनांक : 2	3 03 2423	-23.3
सर्टिफिकेट दिल्याचा दिनांक : 2	74 2087 3 03 2423 63 2026 पर्यंत कार्यवाहीत राहील.	जिल्हु इस्प्रीपृष्यितिरंशक तथा जिल्ह्य विकित्सक
सर्टिफिकेट दिल्यामा दिनांक : 2 सदरचे प्रमाणपत्र दिनांक : 3	ろ 03 2023 03 2026 पर्यंत कार्यवाहीत राहील.	तथा जिल्ह्य विकासिक
सर्टिफिकेट दिल्याचा दिनांक : 2	3 03 2423	ंजल्हुमधेर्गपुष्पिकालंदाक तथा जिल्ह्याजुष्य विकित्सक जि.श.चि. स्वाक्षरी
सर्टिफिकेट दिल्यामा दिनांक : 2 सदरचे प्रमाणपत्र दिनांक : 3	3 03 2023 63 2026 पर्यंत कार्यवाहीत राहील. नुतनीकरण कालावधी	तथा जिल्ह्य विकासिक
सर्टिफिकेट दिल्यामा दिनांक : 2 सदरचे प्रमाणपत्र दिनांक : 3	3 03 2023 63 2026 पर्यंत कार्यवाहीत राहील. नुतनीकरण कालावधी	तथा जिल्ह्य विकासिक
सर्टिफिकेट दिल्यामा दिनांक : 2 सदरचे प्रमाणपत्र दिनांक : 3	3 03 2023 63 2026 पर्यंत कार्यवाहीत राहील. नुतनीकरण कालावधी	तथा जिल्ह्य विकासिक
सर्टिफिकेट दिल्याचा दिनांक : 2 सदरचे प्रमाणपत्र दिनांक : 3 : नुतनीकरण दिनांक	3 03 2026 पर्यंत कार्यवाहीत राहील. नितनीकरण कालावधी पासून पर्यंत	तथा जिल्ह्य विकासिक
सर्टिफिकेट दिल्यामा दिनांक : 2 सदरचे प्रमाणपत्र दिनांक : 31 मुतनीकरण दिनांक : प्रमाणपत हासीटलुखा दर्शनी दिसेल अशा	3 03 2423 63 2026 पर्यंत कार्यवाहीत राहील. नुतनीकरण कालावधी पासून: पर्यंत विकामी लावण गरजेमे आहे. गिहती (Nollreble Diseases) सर्वदित उपजिन्हा/प्रा	जि.श.चि. स्वाक्षरी जि.श.चि. स्वाक्षरी
सर्टिफिकेट दिल्यामा दिनांक : 2 सदरचे प्रमाणपत्र दिनांक : 31 मुतनीकरण दिनांक : प्रमाणपत्र हासीटलस्या दर्शनी दिसेल अशा प्रमाणपत्र हासीटलस्या दर्शनी दिसेल अशा प्रमाणपत्र हासीटलस्या दर्शनी दिसेल अशा प्रमाणपत्र हासीटलस्या दर्शनी दिसेल अशा	3 03 242 3 63 2026 पर्यंत कार्यवाहीत राहील. नृतनीकरण कालावधी पासून पर्यंत विकामी लावण गरजेचे आहे. गहिती (Nolliable Diseases) संबंदित उपजिल्हा/प्रा	जि.श.चि. स्वाक्षरी जि.श.चि. स्वाक्षरी

Principal
Lifeline Institute of Nursing Pandharpur, Dist. Solatur

MAHARASHATRA POLLUTION CONTROL BOARD REGIONAL OFFICE - PUNE

Phone

020-25811627

020-25811701

Emall

ropune@mpcb.gov.in

http://mpcb.gov.ln

MUVIELSTEA

Jog Center, 3rd floor, Mumbal Pune Road, S.No. 121/5, F.P.No.28, Wakdewadi, Shivajinagar, Pune - 41 1003

"Your Service is Our Duty"

LETTER OF BIO-MEDICAL WASTE AUTHORISATION

[Authorisation for Generation, Storage, Disposal of Bio-Medical Wastes under Ru

File number of authorisation and date of issue

MPCB/ROP/BMW-AUTII/2201000016

M/s. CHIRANJEEV HOSPITAL is hereby granted on authorization for generation of biomedical waste on the premises situated, DR. SHRIKANT IS DEOKATE, BHAKTI II. MARG, NEAR BLOOD BANK, PANDHARPUR, TAIN- PANDHARPUR, DIST -SOLAPUR.

Your Application: MPCB-BMW_AUTH-0000086204 111.

This authorisation shall be in force for a peri IV

An application shall be made by the occupier operator for renewal 3 Months before expiry of earlier authorisation

This authorisation is issued subject to compliance of the conditions stated below and to such other copditions as may be specified in the Rules for the time being in force under the Environment (Protection) Act, 1986,

No of Bed : 50

Terms and Conditions of authorisation 1: The authorized Person shall comply with the provisions of the Environment (Protection)

Act 1986 and the Rules made there under: authorisation shall be produced for inspection at the request of an officer authorized by the prescribed authority. | 1' i'

3. i) The authorized person shall not rent, lend or sell the biomedical waste or facility.

ii) The authorized person can transfer the BMW generated at above premises to the "Transporter" or "Operator of Facility" authorized by MPCB under Bio-Medical Waste (Management and Handling) Rules, 1998 for collection, transportation, treatment and/or disposal of BMW generated.

4. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorisation.

5. It is the duty of the authorized person to take prior permission of the prescribed authority

to close down the facility.

MPCB-BMW_AUTII-0000038799

而就是是一个一个一个一个时代是基础

Lifeline Institute of Nursing Pandharpur, Dist. Chinar

trivogeter energy in (WMR), one Whentall ent to notherway the law was a school of the effect to mine to spel that mainsuffer

100	a tunnen	3107 1	Yellow	Incignation
	Anapolital Wash		Yellow	The board
	thrms mestaminated with their	South to		1400
	Markett or Markett	The same of	Yellow	Themer ton
	Superior Wash		Yollow	The Dison
	Charles Plans	Asper Artial	Separate	cheminals in
A CONTRACTOR OF THE CONTRACTOR	testant, Liste piccorpus	20.	September 19	waste shall be mosted to mixing with of wastemater, wastemater, wastemater, wastemater, wastemater, whill continue to be a second to be a sec
180	tetrammated &	William.	Red	Autoclaving ! followed shredding
183	Townstroness of	1 80	Plue / white translucent	Disinfection (chemical) treatment) mutilating (

No ensire treatment of WMW is permitted. The above mentioned Dio in Waste shall be suffered enumen BMW Treatment & Disposal facility in Ma Nichten Suffered Wit Lad. Solapur

sentency shall proper collection of mercury spillages sticing the to fig esperaments, breame trakes of other edinforments used in people case se se we'll es the strigge shall be in accordance with Barandons Waste. (Management transitions of it grimmer but 8112 police (grammer). Thereforest A gr manufacturing spars from taking necessary steps to ensure that the spilled misterny does ner receive a part of the Molleal Ware proother solid waste generated from Health Care William;

S. The liquid solid waste generated from the ejemment activity (from liferation and the public termine to be a like the property of the property of the second section of the second sections of prevailing eithers treatment skilling to constorm the standards prescribed in Schedule V of and Shier and the Durion on (Provenier) Act, 1985

S ROS NO

recently that committee

Page 2065

Principal Lifeline Institute of Nursing Pandharpur, Dist. Sciapur

	The same of the same of the short of the same of the s
(A. Th	in daily quantity of trada vibracat stant part exceed NII
(ii) ti	the dealer or handly of Newards Street, we are
o nam	shall be treated and disposed of in accordance with Schedule I; and in
comp	Banco with the standard present with the standard present the standard to the
10. (0)	HATW shall not be mixed with other Cated in raised, recycled or sold in any form.
(11)	nativ shall be regregated into point of generation in
(0)	accordance (with Scheding College 12 to 12
(iii)	containers shall be labeled according to Schedule III. If a container containing BAIW is to be transported from the prepries where If a container containing BAIW is to be transported from the prepries where
	BMW Is generated to any waste to a the established III also carry information
	mascribed in Schedule IV mutation 15 has been a 1983 or Rules
(iv)	Notwithstanding anything committee to be such vehicle as may be authorized
	there under, BMW shall be transported only in such the Government. for the purpose by the competent authority as specified by the Government. No untreated BMW shall be kept stored beyond a period of 48 hours.
(v)	No untreated BMW shall be kept stored by the house of the board approximately
II. Sta	ndateds for waste autoclaving: e autoclave should be dedicated for the purposes of disinfecting and treating Bio- Medical
, W	When operating a gravity flow autoclar expedical waste shall be subjected to:
(1)	When operating a gravity now adversariant of 15 pounds per Square
	(i) A temperature of not less than 121 Co and pressure of 15 pounds per Square, inch (psi) for an autoclaye residence time of not less than 60 minutes;
FICE	or (ii) A temperature of hot less than 135 C and a pressure of 31 psi for an autoclave residence
L'al	(ii) A temperature office (See than 135 Country) time of not legothan 45 minutes;
Mr.) 5	or (iii) A temperature of not less than 149 Co and a pressure of 52 psi for an anteclave
K.C.C. Park	(iii) A temperature of not less than 30 minutes.
SHE SHOW IN THE	the state of the s
(11)	When operating a vacuum autoclave, medical waste shall be subjected to the officer-vacuum pulse to purge the autoclave of all air. The waste shall be subjected to the
1	a \
	(i) a temperature of not less than 121 Chand a pressure of 15 psi for an autoclave residence
	en en en altera appart less than an minus production in the entre in each entre each action and the entre in a
	or (ii) a temperature of not less than 1350 and a pressure of 31 psi for an autoclave residence
	time of not less than 30 minutes; of
	MW AUTH-0000038700 (18 (196) 07) 17 1/4 30 (0) 331
Mrch-n	MV_AUTH-00000039700
1 1 1 34	The state of the s
-	Principal
	Lifeline Institute of Nursing

Lifeline Institute of Nursing Pandharpur, Dist, Settlemen


(III) Medical waste shall not be considered properly treated unless the time, temperature and pressure indicators indicate that the required time, temperature and pressure were reached during the autoclave process. If for any reasons, time temperature or pressure indicates that the required temperature, pressure or residence time was not teached, the entire load of medical waste must be autoclaved again until the proper temperature. pressure and residence time were achieved. (IV) Recording of operational parameters. Each autoclaye shall have graphic or computer recording devices which will automatically and continuously monitor and record dates, time of day, load identification number and operating parameters throughout the entire length of the autoclave cycle, (V) Validation test: Spore testing. - The autoclave should completely and consistently kill the approved biological indicator at the maximum design capacity of each autoclade unit. Biological indicator for autoclave shall be Bacillus stearothermophilus sporesusing vials or spore strips, with at least 1x 10 spores per milliller. Under no circumstances will an autoclave have minimum operating parameters less than a residence time of 30 minutes, 121 Co or a pressure, less regardless of temperature and pressure, a temperature less than (VI) Routine Test.—A chemical indicator strip/tape that changes color when a certain temperature is reached can be used to verify that a specific temperature has been achieved. It may be necessary to use more that one strip over the waste package at different location to ensure that the inner content of the package has been adequately autoclaved. Every Authorized Person' shall submit an Annual Report to the prescribed authority in Form-II by 31" January every year including information about the categories and 12. quantities of BMW handled during the preceding year. Every 'Authorized Person' shall maintain records related to the generation, collection, reception, storage, transportation, treatment, disposal and/or any form of ordance with these Rules and any guidelines issued. handling of BMW in 30 all be subject to inspection and verification by the prescribed aluthority accident occurs at any institution or facility or any other site when EMIV is at any time. shall report the or during transportation of such waste, the authorized person, ident in Form III to the prescribed authority forthwith. The applicant shall submit Bank Guarantees at the Regional Other P.C. Board, Pune within 15 days of the date of issue of Authorization. The Bank Guarantee(s) shall be valid up to validity 30,06,2023 of this authorization. The details of Bank Guarantees to be Abmitted are as below. Reg No MPCB-BMW_AUTH-0000038799

Principal
Lifeline Instituto i Muraing

	The Manual Control of the Asset Manual Control of the Control of t	West on other Par	
72	MANUAL CONTRACTOR		
7	Operation and Maintenance	action by the delan	25,000/4
(<u>A</u>)	To Segregate and Handle BMW as per Rule	Continuous	20,00
(11)	Records	The tour train	15,000%
[(B)	the state of BAIN, generalion.	Continuous	
,	tending to the state of the sta	M. T. Wang	AL ALLE I
	submission of Annual Report in Form ±11 before 31st January every year.	be an interest	CAMP
11	1 to Company	Six	\$ 25,000/-
1	To provide Separate BMW storage facility	1	- NO.
	As per guidelines of CPCH Towards Operation & Maintenance of	Continuous	1000 C
2	1) Alan ametral evelouis	Six	Coscoon-
3	Effluent Treatment Plant Not provided	0	O
-		1	
		C	
		Level both Board	Officers from time to
17.	The Occupier will obey all the lawful instruction		
	a time.	Provent	ion & Control of
18.	You Shall Obatin Separate Consent the	outrol of Pollution)Act,1931
	Pollution) Act.1974&Air (Prevention &C		
	You Shall Obatin Separate Consent und Pollution) Act. 1974&Air (Prevention &C	For and on be	half of the
	Pollution) Act. 1974 WAIT (Tree lines	For and on be	half of the
	Pollution) Act. 1974 WAIT (Tree lines	For and on be	half of the
	Pollution) Act. 1974 WAIT (Tree lines	For and on be	half of the
	Pollution) Act.1974&Air (Prevention &C.	For and on be	half of the
	Pollution) Act. 1974 WAIT (Tree lines	For and on be Maharashtra Pollutio	half of the on Control Board (Junice (3) [7] [2]
	Pollution) Act. 1974 WAIT (Tree lines	For and on be Maharashtra Pollutio	half of the on Control Board (Junice (3) [7] [2]
	Pollution) Act. 1974 WAIT (Tree lines	For and on be	half of the on Control Board (Junice (3) [7] [2]
To,	Pollution) Act. 1974 WAIT (Tree IIII)	For and on be Maharashtra Pollutio	half of the on Control Board (Junice (3) [7] [2]
3.51	Pollution) Act. 1974 WAIT (Tree III)	For and on be Maharashtra Pollutio (Nitin Sh I/c Regional (half of the on Control Board Control Board Control Board Control Board Control Board
3.51	Pollution) Act. 1974 WAIT (Tree III)	For and on be Maharashtra Pollutio (Nitin Sh I/c Regional (half of the on Control Board Control Board Control Board Control Board Control Board
DR BH	CHIRANJEEV HOSEITAIA SHRIKANT K. DEOKATE, AKTI MARG, NEAR-BLOOD BANK, PANDH	For and on be Maharashtra Pollutio (Nitin Sh I/c Regional (half of the on Control Board Control Board Control Board Control Board Control Board
DR BH	Pollution) Act. 1974 WAIT (Tree IIII)	For and on be Maharashtra Pollutio (Nitin Sh I/c Regional (half of the on Control Board Control Board Control Board Control Board Control Board
DR BH	CHIRANJEEV HOSEITALA SHRIKANT K. DEOKATE, AKTI MARG, NEAR-BLOOD BANK, PANDE	For and on be Maharashtra Pollutio (Nitin Sh I/c Regional (half of the on Control Board Control Board CONTLL Annote Officer, Pune
DR BH	Pollution) Act. 1974 WAIF (Tree in a control of the	For and on be Maharashtra Pollutio (Nitin Sh I/c Regional (half of the on Control Board Control Board CONTLL Annote Officer, Pune
DR BH	CHIRANJEEV HOSEITAIA SHRIKANT K. DEOKATE, AKTI MARG, NEAR-BLOOD BANK, PANDE Chorization Fees Reteived: No Le Amount (RC) To ansatzlon No.	For and on be Maharashtra Pollutio (Nitin Sh I/c Regional (half of the on Control Board Concle Concle Ainde Officer, Pune ANDHARPUR,
DR BH	Pollution) Act. 1974 WAIF (Tree in a control of the	For and on be Maharashtra Pollutio (Nitin Sh I/c Regional (half of the on Control Board Concle Concle Andrew ANDHARPUR,
DR BH	CHIRANJEEV HOSEITAIA SHRIKANT K. DEOKATE, AKTI MARG, NEAR-BLOOD BANK, PANDE Chorization Fees Reteived: No Le Amount (RC) To ansatzlon No.	For and on be Maharashtra Pollutio (Nitin Sh I/c Regional (half of the on Control Board Concle Concle Ainde Officer, Pune ANDHARPUR,
MVs DR BH DIS	Pollution) Act. 1974 WAIF (Tree in a control of the	For and on be Maharashtra Pollutio (Nitin Sh I/c Regional (half of the on Control Board Concle Concle Andrew ANDHARPUR,
MVs DR BH DIS	Pollution) Act. 1974 WAIF (Tree in a control of the	For and on be Maharashtra Pollutio (Nitin Sh I/c Regional (half of the on Control Board Concle Concle Andrew ANDHARPUR,
MVs DR BH DIS	Pollution) Act. 1974 WAIF (Tree in the control of t	For and on be Maharashtra Pollutio (Nitin Sh I/c Regional (half of the on Control Board Concle Concle Andrew ANDHARPUR,
MVs DR BH DIS	CHIRANJEEV HOSEITAIA SHRIKANT K. DEORATE, AKTI MARG, NEAR-BLOOD BANK, PANDE Chorization Fees Reteived: TXN2107002823 Py to: 1) Sub-Regional Officer, MPCB - P - 1/P = II/P.C. For Information & with instruction to Monito stipulated in the Letter of Auhorization	For and on be Maharashtra Pollutio (Nitin Sh I/c Regional (1ARPUR, TAL PA 28-07-20 (Satara / Solapur or the Necessary Completed)	half of the on Control Board Concle Concle Andrew ANDHARPUR,
MVs DR BH DIS	Pollution) Act. 1974 WAIF (Free minutes) C. CHIRANJEEV HOSPITALA SHRIKANT K. DEOLATE, AKTI MARG, NEAR-BLOOD BANK, PANDE ST - SOLAPUR Chorization Fees Reteived: TXN2107002823 Py to: 1) Sub-Regional Officer, MPCB -P -1/P = II / P.C. / For Information & with instruction to Monitor stipulated in the Letter of Auhorization	For and on be Maharashtra Pollutio (Nitin Sh I/c Regional (1ARPUR, TAL PA 28-07-20 (Satara / Solapur or the Necessary Completed)	half of the on Control Board Concle Concle Andrew ANDHARPUR,
MVs DR BH DIS	Pollution) Act. 1974 WAIF (Free Ind. Compared to Pune 2012) Cherization Fees Received: 1. 7500/- TXN2107002823 Py to: 1. Sub-Regional Officer, MPCB -P-1/P=II/P.C./ For Information & with instruction to Monitor stipulated in the Letter of Auhorization 2. Chief Accounts Officer, MPCB, Mumbai	For and on be Maharashtra Pollutio (Nitin Sh I/c Regional (IARPUR, TAL PA 28-07-20 (Satara / Solapur or the Necessary Completions)	half of the on Control Board Concle Concle Andrew ANDHARPUR,
MVs DR BH DIS	Pollution) Act. 1974 WAIF (Free Ind. Compared to Pune 2012) Cherization Fees Received: 1. 7500/- TXN2107002823 Py to: 1. Sub-Regional Officer, MPCB -P-1/P=II/P.C./ For Information & with instruction to Monitor stipulated in the Letter of Auhorization 2. Chief Accounts Officer, MPCB, Mumbai	For and on be Maharashtra Pollutio (Nitin Sh I/c Regional (IARPUR, TAL PA 28-07-20 (Satara / Solapur or the Necessary Completions)	half of the on Control Board Concle Concle Andrew ANDHARPUR, Liance of the Condition
M/s DR BH DIS	Pollution) Act. 1974 WAIT (17 teething) Chiral Depune Pune Pune Pune Pune Pune Pune Pune P	For and on be Maharashtra Pollutio (Nitin Sh I/c Regional (IARPUR, TAL PA 28-07-20 (Satara / Solapur or the Necessary Completions)	half of the on Control Board Concle Concle Andrew ANDHARPUR,
M/s DR BH DIS	Pollution) Act. 1974 WAIF (Free Ind. Compared to Pune 2012) Cherization Fees Received: 1. 7500/- TXN2107002823 Py to: 1. Sub-Regional Officer, MPCB -P-1/P=II/P.C./ For Information & with instruction to Monitor stipulated in the Letter of Auhorization 2. Chief Accounts Officer, MPCB, Mumbai	For and on be Maharashtra Pollutio (Nitin Sh I/c Regional (IARPUR, TAL PA 28-07-20 (Satara / Solapur or the Necessary Completions)	half of the on Control Board Concle Concle Andrew ANDHARPUR, Liance of the Condition

Principal Lifeline Institute of Nursing Pandharpur, Dist. Solapur





New hereinafter called as an MOU for association of Siddhanath Foundation charitable Trust, Pandharpur here after called as Lifeline Institute of Nursing, Pandharpur of the part with Agraj Hospital, Pandharpur registered under societis registration Act and the Bombaay pubic trusts Act and I registered office pandharpur.

Noted and Registered

2 9 JAN 2024

Serial No. 19 7

Principal
Lifeline Institute of Nursing
Pandharpur,Dist.Sclapur

Run and maintain hospital in the Lifeline Institute, pandharpur hereafter called as THE HOSPITAL of the second part, for service attachment of the B.Sc nursing Education institute to, Siddhanath Foundation Charitable Trust, pandharpur of nursing pane. Whereas students of the said Nursing embracing all the speciation and the branches including nursing institutionary required to take specialized training and learning experience in clinical nursing embracing all the speculating and the branches including Training in operation theater and intensive care nursing during 4 year course of nursing education programmed And whereas the side truest has approach Lifeline Institute, Pandharpur the party Lifeline Institute, Pandharpur

And where the party of the second part of the trust established under the Bombay public charitable trust act and main tens the hospital in name of Lifeline Institute, pandharpur And this hospital in multi-specialty super specialty hospital Having the capacity of ______ beds and having all the in fracture required for the student Of B.Sc Nursing And where the office off The Foundation has been accepted by The Hospital and condition which. Fare mutually understood and agreed between the parties and which the parties here to desire to put in writing.

- The MOU is excited on the initially for the period of 30 years from the date of commencement of which may extended on mutual consent and agreement.
- 3. Shall send its BSc student for the purpose of training and experience to the hospital of the second part
- 4. Student to be place /clinical experience
- 5. Initially the total number of student placed with be divided in 4 batches and the number may increase in the succeeding year
- 6. Clinical area

- A) General duty: From Monday to Saturday except during vacation, tests and holiday of the hospital
- 7. The BSc Nursing (BSc) syllabus is designed to provide to students with knowledge of advanced nursing candidates can brush up on their medical abilities both surgical and non-surgical throughout this course it aims to improve professional nursing competencies critical thinking skills competencies and standards The Basic BSc Nursing program is a twoyear undergraduate program designed to improve the personal and professional scope of work in the nursing industry
- 8. The entire student in every wards and OPD would be accompanied by their supervisors on the wards for guiding teaching and demonstrating nursing procedures to the student.
- 9. No students will leave in any ward of department without being supervised by the supervisors appointed for that purpose by the foundation
- 10. Rotation of the students will be planned in consolation which the nursing service Department of the hospital i.e Matron of the Hospital
- 11.Inspection : the authorities appointed by Government for the purpose of inspection for clinic specialties for the Nursing programmed as under as under
 - A) Maharashtra University of Health Science (MUHS)
 - B) Maharashtra state Board of Nursing & paramedical Education Mumbai
 - C) India Nursing Council New Delhi
 - D) Government of Maharashtra Mumbai (DR/MEDD)
- 12. The demographic date of the required to finish at the time of inspection
- 13.Consideration

For their purpose of making the hospital available of training to be the student and for providing clinical facilities to the Siddhanath Foundation Charitable Trust, Pandharpur

It is here by understood between the parties that the foundation shall pay a consideration amount of Rs. 100/- per month per student during their clinical experience. The amount shall be paid by the Siddhanath

Principal

Lifeline Institute of Nursing Pandharpur, Dist. Selapur



Foundation Charitable Trust, Pandharpur by the cherub drawn in favor Lifeline Institute, Pandharpur on or before the 10th of the every month .

In case this MOU not viable to the parties here to for any reasons 14. Termination :what so ever the party shall liberty to termination this MOU by giving one month notice in advance to the other party.

In case any damage or loss to the Hospital through any students the foundation will legal obligation to make good the same in totality. The decision of hospital shall be final in this regards. In case any dispute the parties the same will be subject to jurisdiction of pandharpur court.

Dr. Sudesh M Doshi Agraj Hospital, Pandharpur

Dr Sanjay Deshmukh Siddhanath Foundation charitable Trust, Pandharpur

NOTARIAL

Signed in witness

Date:

Place:

Signature

Ro Pandharfus

Sign.T.I. before me and Identified by Shri Majory allare Ro Pandharpus


NOTAL

NARAYAN C. LAD Advovate & Notary R/c. 2484 Darshan Mandap Road, Pandharpur-413 304. Dist. Solapur (Maha).

Noted and Registered 2 9 JAN 2024 Serial No.







Principal of Nurs

Lifeline Institute of Nursing Pandhorpur, Dist. D. Inpur

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0217-2319850 Fax: 0217-2319850 Website: http://mpcb.gov.in Email: srosolapur@mpcb.gov.in



4/B, Bali Block, Civil Lines, Oppsite Government Milk Scheme, Saat Rasta, Solapur - 413003.

ORANGE/S.S.1 No:- Format1.0/SRO/UAN No.MPCB-CONSENT-0000164099/CO/2307000009 Date: 02/07/2023

To,
Agral Hospita,
CS No. 4776, Plot No 96, Datta Nagar, Karad Road,
Pandharpur, Dist: Solapur
-413304
Emall:sudeshdoshl@yahoo.com
Contact No.:9422653953



Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

Ref: Your application for Combine Consent and Bio-Medical Waste Authorization dated 03/03/2023 with UAN MPCB-CONSENT-0000164099

The consent to establish is granted for a period up to commissioning of the unit or up to 5 year whichever is earlier, under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the Schedule(I-IV) and Annexure (I-II) enclosed in this order.

- 1. This CCA shall be in force for a period From 28-02-2023 To 31-12-2026
- The capital investment of the HCF is ₹115.45 Lakhs (As per C.A Certificate Submitted by HCF)
- 3. HCF Area: Plot Area 765.00 M2 with Built-up area 1222.00 M2.
- 4. Activities included
 - a. Total Number of Beds : 60 Nos. (As per BNH certificate no. 21 valid upto 31-03-2026)
 - I. General Beds: 4 Nos
 - II. Operation Theatre: 1 Nos
- III. Maternity Beds: 55 Nos
- 5. Conditions under the Water (P&CP) Act, 1974:-

Principal Lifeline Instituto of Nursing Pandharpur, Dist. Solapur

agra) hospital/CO/UAN No.MPCB-CONSENT-0000164099/Indus-Id.64991 (02-07-2023 12:04:45 pm) /QMS.PO6_F02/00

Page 1 of 10



- Quantity of total water consumption shall not exceed 2 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority,
- 2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in Annexure-I
- 3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.
- 6. Conditions under the Air (P&CP) Act,1981:-
 - 1. You shall use the fuel for DG set as specified in the Annexure-II.
 - 2. You shall provide adequate emission control system to DG set as specified in Annexure-II.
 - 3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per Annexure-II.
- Conditions under Hazardous and Other Wastes (Management, Handling & 7. Transboundry Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

TVESCATESCO NA


- 8. Conditions under Solid Waste Management rules 2016
 - 1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
 - You shall Not mix general solid waste with Bio Medical Waste.
- Conditions under BMW Management rules, 2016 (As Amended):-
 - You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
 - 2. You shall segregate and handover BMW to BMW T&D CTF Bloclean Systems India Pvt. Ltd., Solapur Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
 - 3. Cytotoxic Drugs/ Waste: You shall have separate storage, marked with the symbol of Blo Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic,in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
 - 4. Mercury Waste: You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
- 10. You shall not undertake Modifications/ Upgrdation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
- 11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.

agraj hospital/CO/NAN No.MPCB-CONSENT-0000164099/Indus-ld.64991 (02-07-2023 13:04:45 pm) /QM5.PO6_F02/00

Page 2 of 10

Lifeline Institute of Nursing Pandharpur, Dist. Salapur





Principal Unalino instituto et Hursind Pandhamuni assi saliaput

THE RECORD FOR THE HOURS BARBARING THE RASH FOR THE PARTY TO THE PARTY

4 119 1 1 1 14 14



Annexure - I

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

5180		VEIO CONTUNIO DO CONTUNIO XEVIDO
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2,	Domestic purpose	2.00
-3,	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	- 0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

erijo			Samuelecko cellecti	osial.
1	Domestic Sewage	1.50	As per clause 'C'	100% Recycle
2 .	Trade effluent	0	As per clause 'C'	100% Recycle

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

સ્ત્ર <u>ા</u> દ	i danaga	Sentence Sentence Southern Sentence Sen
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

Principal

Lifeline Institute of Nursing Pandharpur, Dist. Solapur

agraj hospital/CO/UAN No.MPCB-CONSENT-0000164099/Indus-Id.64991 (02-07-2023 12:04:45 pm) /QMS.PO6_F02/00

Page 4 of 10



Annexure - II

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

18	Siad/Aladied	Religi	QUIIIV	Statisticus (Mb)
1	DG Set (80 KVA)	Diesel	15.00 Ltr/Hr	3.00

- The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
- 3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
- 4. Conditions for D.G. Set:
 - a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f. D.G. Set shall be operated only in case of power failure.
 - g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
- 5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

Principal

Lifeline Institute of Nursing Pandharpur, Dist. Solapur

agraj hospital/CO/UAN No.MPCB-CONSENT-0000164099/Indus-ld.64991 (02-07-2023 12:04:45 pm) /QMS.PO6_F02/00

Page 5 of 10



SCHEDULE-I

Authorization for Management of Blo-Medical Waste (Category and Quantity)

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

	Globy	weelling.	oranily no Irawanin		Translative (Dispusal)
1	Yellow	a) Human Anatomical waste		Yellow coloured non- chlorinated	Bio medical Waste shall be sent to MPCB
		b) Animal Anatomical Waste	0.00	plastic bags.	authorized BMW-CTF Bioclean Systems India Pvt. Ltd., Solapur Solapur
		c) Solled Waste	7.00		
		d) Expired or Discarded Medicines	4.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0,00	Separate collection system leading to effluent treatment system.	
		g) Discarded Ilnen, mattresses, beddings contaminated willi blood or body fluid.	3,00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microblology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	Pre-treat to sterilize with nonchlorinated chemicals on-site as per National AIDS Control Organisation or World Health Organisation guidelines thereafter sent to BMW-CTF for Incineration.
2	Red	Contaminated waste (Recyclable)	5.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean Systems India Pvt. Ltd., Solapur Solapur
3	White (Translucent)	Waste sharps including Metals		Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean Systems India Pvt. Ltd., Solapur Solapur
4	Blue	a) Glassware		Puncture proof, Leak proof with	Bio medical Waste shall be sent to MPCB
		b) Metallic body implants	0.00	Blue coloured marking.	authorized BMW-CTF Bioclean Systems India Pvt. Ltd., Solapur Solapur

Principal

Lifeline Institute of Nursing Pandharpur, Dist. Solapur

agraj hospital/CO/UAN No.MPCB-CONSENT-0000164099/Indus-Id.64991 (02-07-2023 12:04:45 pm) /QMS.PO6_F02/00

Page 6 of 10



SCHEDULE-II

Responsibilities of the Health Care Facility

- You shall handover Bio Medical waste only to MPCB Authorized Common Blo medical waste treatment and Disposal facility Bioclean Systems India Pvt. Ltd., Solapur and maintain records thereof for 5 years.
- 2. You shall establish bar code for handling of bio-medical waste.
- You shall ensure segregation of Blo-Medical Waste in colour coded bags as per BMW Management Rules, 2016
- 4. You shall not store Bio Medical waste beyond 48 hours from the generation.
- 5. You shall use only non-chlorinated plastic coloured bags.
- You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
- 7. You shall not mix General/other Solid waste with Bio Medical Waste.
- You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
- You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
- 10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
- 11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/ metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
- You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
- 13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
- 14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
- 15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
- You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
- The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of biomedical wastes.
- 18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Pune and uploading the same to MPCB Portal (https://www.ecmpcb.in/).

agraj hospital/CO/UAN No.MPCB-CONSENT-0000164099/Indus-Id.64991 (02-07-2023 13:04:15 pm) pal

Page 7 of 10

Lifeline Institute of Nursing Pandharpur, Dist. Sclapur



SCHEDULE-III

Bank Guarantees

Dank Guarantee imposed to ensure timely compliance, to be observed by operator.

٨	Performance		,
1	To Segregate and Handle BMW as per Rule	Continuous	25,000.00
18	Records		,
1	To Maintain records of BMW and submission of Annual Report in Form -II before 31st January	Continuous	15,000.00
2	Operation and Maintenance		
1	To provide STP/ETP and BMW separate storage facility as per guidelines of CPCB	Continuous	25,000.00
-	Total		65,000.00

Note: You shall extend the previously submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.



Principal

Lifeline Institute of Nursing Pandharpur, Dist. Solapur

agraj hospital/CO/UAN No.MPCB-CONSENT-0000164099/Indus-Id.64991 (02-07-2023 12:04:45 pm) /QMS.PO6_F02/00

Page 8 of 10



SCHEDULE-IV

General Conditions

The following general conditions shall apply:-

- You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- Whenever due to any accident or other unforeseen act or event, such emissions occur
 or is apprehended to occur in excess of standards laid down, such information shall be
 forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and
 Local Body. In case of failure of pollution control equipment's, the process connected
 to it shall be stopped.
- You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
- 4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Pune.
- You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
- 7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
- You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
- 11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
- 12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 13. You shall achieve the National Amblent Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.
- You shall submit an official e-mail address and any change will be duly informed to the MPCB.

agraj hospital/CO/DAN No.MPCB-CONSENT-0000164099/Indus-Id.64991 (02-07-2023 12:04:45 pm) /OMS.P05 F02/00

Page 9 of 10

Lifeline Institute of Nursing Pandharpur, Dist. Science





- 15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
- 16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
- 17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhave to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
- 18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
- 19. The Energy source for lighting purpose shall preferably be LED based.
- 20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
- 21. You shall provide personal protection equipment as per norms of Factory Act 1948
- 22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.




Principal

Lifeline Institute of Nursing Pandharpur, Dist. Solapur

agraJ hospital/CO/UAN No.MPCB-CONSENT-0000164099/Indus-Id.64991 (02-07-2023 12:04:45 pm) /QM5.P06_F02/00

Page 10 of 10





Run and maintain hospital in the Lifeline Institute, pandharpur hereafter called as THE HOSPITAL of the second part, for service attachment of the B.Sc nursing Education institute to, Siddhanath Foundation Charitable Trust, pandharpur of nursing pane. Whereas students of the said Nursing embracing all the speciation and the branches including nursing institutionary required to take specialized training and learning experience in clinical nursing embracing all the speculating and the branches including Training in operation theater and intensive care nursing during 4 year course of nursing education programmed And whereas the side truest has approach Lifeline Institute, Pandharpur the party Lifeline Institute, Pandharpur

And where the party of the second part of the trust established under the Bombay public charitable trust act and main tens the hospital in name of Lifeline Institute, pandharpur And this hospital in multi-specialty super specialty hospital Having the capacity of ______ beds and having all the in fracture required for the student Of B.Sc Nursing And where the office off The Foundation has been accepted by The Hospital and condition which. Fare mutually understood and agreed between the parties and which the parties here to desire to put in writing.

- 1. The MOU is excited on the initially for the period of 30 years from the date of commencement of which may extended on mutual consent and agreement.
- 3. Shall send its BSc student for the purpose of training and experience to the hospital of the second part
- 4. Student to be place /clinical experience
- 5. Initially the total number of student placed with be divided in 4 batches and the number may increase in the succeeding year



- A) General duty: From Monday to Saturday except during vacation, tests and holiday of the hospital
- 7. The BSc Nursing (BSc) syllabus is designed to provide to students with knowledge of advanced nursing candidates can brush up on their medical abilities both surgical and non-surgical throughout this course it aims to improve professional nursing competencies critical thinking skills competencies and standards The Basic BSc Nursing program is a two-year undergraduate program designed to improve the personal and professional scope of work in the nursing industry
- 8. The entire student in every wards and OPD would be accompanied by their supervisors on the wards for guiding teaching and demonstrating nursing procedures to the student.
- No students will leave in any ward of department without being supervised by the supervisors appointed for that purpose by the foundation
- 10. Rotation of the students will be planned in consolation which the nursing service Department of the hospital i.e Matron of the Hospital
- 11.Inspection : the authorities appointed by Government for the purpose of inspection for clinic specialties for theNursing programmed as under as under
 - A) Maharashtra University of Health Science (MUHS)
 - B) Maharashtra state Board of Nursing & paramedical Education Mumbai
 - C) India Nursing Council New Delhi
 - D) Government of Maharashtra Mumbai (DR/MEDD)
- 12. The demographic date of the required to finish at the time of inspection
- 13.Consideration

For their purpose of making the hospital available of training to be the student and for providing clinical facilities to the Siddhanath Foundation Charitable Trust, Pandharpur

It is here by understood between the parties that the foundation shall pay a consideration amount of Rs. 100/- per month per student during their clinical experience. The amount shall be paid by the Siddhanath

Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Sciapur



हे अंदिलको क्षेत्र के किए के किए हैं कि एक स्थाप के का हो है कि किए के किए की का का का का कि सामाना के कि ELPHANNIA 6

इस एकार हुन्द्र ११८२, तस । एकार के प्रसार के किए एस हिन्द्र भाग के साथ है। मानुस्ति मानुस्तान हुनेका नाम सं उन्हें हुनेका था। सन स्वानामाना समान प्रमान प्रसार साम स्वान रहाँ। सम्बद्धि सम्बद्धि का विवस्तित है। विवस्तित कि कि कि स्वित्त का कि

By Complete A Lide of the American by the species of the American All Strains of the माने मानिकार एक सेव्यान का कार्य का मानिकार होते हैं के लिए के स्वापक के का का का का का का का का का EASTERDED TO STATE BY ESTES SET SOME SELLENGE ARRANGE SELLENGE HILL RESILIES ARE The filler light the thing has the spirit by the count form the british spirit to the fill the

11/1/1/1/1/11/11

A Marine November 1 1914 HAMPINE WATER THE WATER WATER 14 to testing statistical

A SHEET PRESENT Burgality Charleton CHARLES TORK HOLESHIPS

Markey of Walter Spiller Mary John Wille

A hope to the day bearing in colle

1 of hely seller sell mountained the species is a we hard it with goodier I had Maistel Subsect 44 to t y Produkenthe HP communication





	- UMP - 第二十二日中海晚间时代的中国中国中海沿海 光定金
The state of the state of the color	可相似的 60 / 一种种用限物种种包含 等层层等 2
S. No. 115. In Alfabra 2003 his Assidence in the Alle	Ballini blevimosi astro gillika 126 agrico a salescino a s
	AAAMABBAREE 70 等前的例像形式多类类型的多类型
The Manager of the Artificial Prince	
A State of the sta	in month and a second s
	RCDDRBTFSRADDDBTTARSBT FREET BREETSTARBTPTFSRADDBTTARSC SCHOOLST RC GARGES - V #88767 - V # 184744
The first of the state of the s	Hill ment distract flagting and the First Fill
ા 🚉 સામેપાયાં તેમાં માત્ર ભાગમાં છે. 🚉 🚉 માત્ર પ્રાથમિક સામેપાયાં છે. 🚉	walne grown again waa i aa
Santara Santara Cara da Cara d	
ને હવારિમાં પ્રોપ્ટ એ દિવસ મામ સંસ્થાન પ્રાથમિક મામ માનવા છે.	Olu n Matet D min alondy and Avan and Manage Ast
AN TENT DESARCE VILLATOR A PERSONALA MENTANTA ERRORES ENTRE DE LA PROPERTIE DE LA PROPERTIE DE LA PROPERTIE DE	
	and an wheath should be a factor of the state of the stat
	ideran mirim vira
Mary Mary State of the Control of th	
	andler adler.
and the state of t	are from the first of the first
化压力 化铁石油 化高温性系统 医多种毒性 医多种毒性 化甲基苯甲基苯甲基苯甲基苯甲基苯甲基苯甲基苯甲基	1401/2026 1 CANOTA STORY
	nucleur op de signere et Ales nag ausser generals dat generale en en premier per president de la seguit de la Datal de Arte de Salan Allandese de la seguitar de metro de Ales en esta de la companyación de la seguitar de
des cesales de la proposición de la pr	in with the control of the state of the state of the control of the state of the st
The state of the s	Action restant dummination
a) ayyu norka alehayena an maatamu baba ay a a a labada baba	4. We can pull their miny area is that see a fine to be such supp
ged COTTANT A PENDEN DE PROCESSO DE LA COMPANIA DE Obras esta de la Compania de La California de Processo de Compania de la California de La California de California	
THE THE TAX A STATE AND A STATE OF THE STATE	Panelpal
	Lifeling Institute of Nursing

Pohchier, William Character