#### Maharashtra University of Health Sciences, Nashik Inspection Committee Report for Academic Year 2023 - 2024

#### **Clinical Material in Hospital**

Faculty: - Nursing (UG-Bsc)

Name of College/Institute: - Lifeline Institute of Nursing

#### **HOSPITAL DETAILS**

Sr. No.					
1	The Institute / College shall execute a MoU with any institute for affiliation of hospital in addition to minimum 100 bedded own / parent Hospital (Affiliated hospital must be 50 bedded or more.)	Adequate			
a.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.:	Adequate			
b.					
c.	Average Bed Occupancy in %: (Minimum 75%):- 82%				
d.	d. Clinical facilities for PG to be verified: (As per MSR)				
	<ul><li>(i) Whether OPD is functioning to be verified</li><li>(ii) Total No of OPD (on the day of inspection)</li></ul>	Yes			
	(iii) Average Number of patients attending OPD (current year)	1952			
	(iv) Average Number of Delivery (Current year)	203			
	(v) Average Number of abnormal Delivery (Current year)	97			
	<ul> <li>As per Central Council Norms/ University Norms, above Infrastructure available at College.</li> <li>If Infrastructure is available, then mark "Adequate" &amp; do no documents.</li> <li>In case of "Inadequate", it must be mark as "Inadequate" with evilonments.</li> </ul>	t attach any			

Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur



शासन

#### सार्वजनिक आसेग्य विभाग

#### जिल्हा शल्यचिकित्सक

श्री.छत्रपती शिवाजी महाराज, सर्वोपचार रुग्णालय सोलापूर

प्रपन्न - सी

(नियम ५ अन्यये)

बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन ॲक्ट १९४९ चे कलम ५ अन्वये नोंदणी प्रमाणपत्र

प्रमाणपत्र देण्यात येते की, दि बॉम्बे नर्सिंग होम्स रिजर्ट्शन ॲक्ट १९४९ अन्वये डॉ.श्री/श्रीमती क्रेंग्) किया ना काय दिवासुर्धां के का मेन्स्रिंग क्रेंग्य किया ने किया कार्य कि क्रिया के क्रिया क्रिया के क्

. नोंदणी क्र - 329

नोंदणी दिनांक - २३ | ०२ | २०१२

सर्टीफिकेट दिल्याचा दिनांक :- 23 02 2017 सद्दरचे प्रमाणपत्र दिनांक :- 31 03 2019 प्रमुतीच्या रुग्णांकरिता:- 04

इतर रुग्णांकरिता वापरात:- 96 असलेल्या खाटांची संख्या

पर्यंत कार्यवाहीत राहील.

नोंदणी अधिकारी तथा जिल्हा शत्य चिकित्सक श्री.छ.शि.म.स.रु.सोलापूर

नुतणीकरण दिनांक	देनांक नुतनीकरण कालावधी		जि.श.चि.रवाक्षरी	
	पासून	पर्यंत	8	
3103/2019	01 04 2019	31 03 2022	H in	
09 06 2022	01 04 2022	3103 2025	7 9612	
21.01.				
		19 (2) (1) (1) (1) (1) (1)		

हे प्रमाणत्र हॉस्पिटलच्या दर्शनी भागात दिसेल अशा ठिकाणी लावणे गरजेचे आहे.

२) आपल्या संरथेत दाक्रल संसर्गजन्य रुग्णाची माहिती (Notifiable Diseases) संबंधित उपजिल्हा / ग्रामीण कळविणे गरजेचे आहे.

जन्म मृत्यू नोंद संबंधित नगरपालिकस धेळेवर कळियणे आपल्यावर खंधनकारक आहे.

कुतृंय कल्याण (प्/स्त्री) शस्त्रक्रियाची आकडेवारी संवंधीत उपजिल्हा / ग्रामीण रुग्णालयास कुळविणे वंधनकार्क आहे.

.) संख्येत कार्यरत निर्मेग स्टाफ बॉम्बे नसंस भिडवाईफस ॲन्ड हेल्य विजीटर्स ॲक्ट १९५४ नुसार प्रमानि असग्याच्या अटीवर सदरची नोंदणी देण्यात आलं आहे.

वायोमेडीकल वेस्ट नियम १९९८ क्र.३२ व ४१/२००६ चे पालन करणे बंधनकारक आहे.

Reg No - PP

#### MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781 Fax: 24024068/24023515 Website: http://mpcb.gov.in Email: pso@mpcb.gov.in



Kalpataru Point, 2nd and 4th floor, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E), Mumbai-400022

No:- Format1.0/PSO/UAN No.0000117922/CR /2107001617

Date: 30/7/2021

To. Lifeline Superspeciality Hospital 4776/90/91/92, ,4776/90/91/92, Karad Naka, A/p- Pandharpur, Tal. - Pandharpur, Dist - Solapur 4776/90/91/92, Karad Naka, A/p- Pandharour, Tal. - Pandharpur Dist - Solapur, Solapur-413304 Email:lifelinepandharpur@gmail.com Contact No.:9822241698



charital

**一位水**种

Renewal of Combined Consent and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

Ref: 1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no.1807000272 dated 06.07.2018

- 2. CCA refused vide no. 2105000255, dated 10.05.2021
- 3. Your application for Combine Consent and Bio-Medical Waste Authorization dated 28/07/2021
- 4. Report submitted by SRO- Solapur

After examining the proposal, The Maharashtra Pollution Control Board hereby Renew Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Authorization under Rule 5 of the Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, Under Environment (Protection) Act. 1986; subject to terms and conditions as specified below and in the Schedules(I-IV) and Annexures (I-II) enclosed in this order.

- 1. This CCA shall be in force for a period From 17-09-2020 To 17-09-2025
- The capital investment of the HCF is ₹218.09 Lakhs (As per C.A Certificate submitted by HCF)
- 3. HCF Area: Plot Area 920.50 M² with Built-up area 1104.60 M²
- 4. Activities Included

H. Fiswadka 16062

shiras

A. Total Number of Beds: 100 Nos (As per BNH certificate no. 329 valid upto 31-03-2022)

Lifeline Superspeciality: Hospital/CR/UAN No. MRCB. CONSENT-0000117922 (30-07-2021 03:58:25 pm) /QM5.PO6\_F02/00 ith Foundarion andhamur.

- Conditions under the Water (P&CP) Act, 1974:-
  - Quantity of total water consumption shall not exceed 30,00 Miday. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
  - 2. You shall provide adequate treatment & disposal facility for servage & Effluent. generated as specified in Annexure-
  - You shall provide water meter abwater intake point tratise wage/findent disposal point and shall maintain monthly records thereof.
- Conditions under the Air (P&CP) Act, 1981:-
  - You shall use the fuel for DG set and Boller(s) as specified in the Annexure-II.
  - You shall provide adequate emission control system to DG set and Boilerts) as specified in Annexure-II.
  - 3. You shall strictly observe hoise standards applicable for DG set stack emission and ambient noise level as per Annexure-II.
- Conditions under Hazardous Waste (M & TM) Rules 2016:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste nenerated i.e. ETP sludge in strict compliance with said rules and maintain record

	是問結
HW Category Quantity Disposal	
Type of Waste 100 (VIT/Annum)	
TO SEE THE PROPERTY OF THE PRO	or
The State of the All Principles of the State	
from waste water 35.3 As per Actual actual	
treatment	

- Conditions under Solid Waste Management rules 2016 (As Amended, 2018 and 2019):-
  - You Shall Handover Solld waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
  - You shall Not mix general solld waste with Bio Medical Waste.
- Conditions under BMW Management rules, 2016 (As Amended, 2018 and 2019):-
  - You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
  - You shall segregate and handover BMW to BMW T&D CTF M/s Bioclean Systems India Pvt, Ltd. Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
  - Cytotoxic Drugs/ Waste: You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
  - 4. Mercury Waste: You shall manage the Mercury Waste in HCF in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nlc.in)\

Lifeline Superspeciality Hospital/CR/UAN No. MPCB-CONSENT-0000117922 (30-07-2021 03:58:25 pm) /QMS.PO6\_F

- 10. You shall not undertake Modifications/ Upgrdation in existing facility without obtaining prior Environment Clearance under the Provision of ElA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
- 11. Any unauthorized change in Location, Name, personnel equipment or working, conditions as mentioned in the application by you shall constitute a breach of this CCA in case of any change you shall apply fresh for CCA or amendment as applicable.
- 12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
- 13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
- 14. You shall maintain records of MPC board Officers visit and shall obey all the lawful. instructions issued by the Board Officers from time to time
- 15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution
- 16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
- 17. As per the report of SRO- Solapur Bank Guarantee of Rs. 11.50 lakh is eligible for release for provision of separate BMW storage facility and installation of STP, Bank Guarantee of Rs. 50,000/- is forfeited for non submission of analysis report of STP carried by Board to ensure O & M of STP and double BG is imposed for same

For and on behalf of the Maharashtra Pollution Control Board.

Principal Scientific Officer

Received Consent/Authorization fee of

PATH.		Transaction/DR No.	Date	Transaction Type
1	75000.00	TXN2010001593	18/10/2020	Online Payment
2		TXN2107001641	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Online Payment
2	25000.00	TXN2010001602	THE RESERVE THE PROPERTY OF TH	Online Payment 1
4.	5000.00	TXN2107001637	15/07/2021	Online Payment

Earlier CCA vide UAN no. 99646 of Consent and UAN no. 29539 of BMW authorization was refused on 10.05.2021 for which CCA fee of one term Rs. 20,000/- is forfeited and remaining fee is considered to grant this CCA

#### Copy to:

awadka 16062

- 1. Regional Officer, MPCB, Pune and Sub-Regional Officer, MPCB, Solapur
- You are directed to ensure the compliance of the consent conditions and BG imposed.
- 2. Cheif Accounts Officer, MPCB, Sion, Mumbai
- 3. I/C EIC- for record & website updating purpose

Lifeline Superspeciality Hospital/CR/UAN No. MPCB CONSENT-0000117922 (30-07-2021 03:58:25 pm) /QMS.PO6:F02/00

Annexure - I

# Conditions under Water (P.& CP), 1974 Act: (Refer Condition No. 5)

Water Consumption Details -

vadka 6062

		Vister consumption quantity (CMV)
	Industrial Cooling, spraying in mind pits or boiler reed	
2.	Domestic purpose  Processing whereby water gets polluted & pollutants are easily in	0.00
3.	Processing whereby water gets pollutants are not easily	0.00
4.	Processing whereby water gets polluted & pollutants are not easily blodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	1905

Conditions for Sewage & Effluent Generation, Treatment and Disposal:

Conditions for Sewage & Effluent (	seneration, recome	EXCEPTION STORY	
	Permittee	Standards to be	Disposal
St. No. Description	discharge	achieved	
		As per clause 'C'	100% Recycle
1 Domestic Sewage	25.0	As per clause Clar	100% Recycle
Trade effluent (1)	Parent State of Control of Contro	ent plant of adequate de	sign and capacity to

You shall operate the combined waste water treatment plant, of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act. 1986 and Rules made there under and recycle after achieving than the property of the contract of th standard prescribed below.

No.	Parameters :	Discharge Standards applicable Limiting Concentration in mg/except for pH
	The second second	6.5-9.0
1	pH	10 30,000
2 ·	OII & Grease	A CONTRACTOR OF THE PROPERTY O
3	80D (3 days 27°C)	250
4	COD	100
5	Total Suspended Solids	90 % survival of fish after 96 hours in 100 % effluer
6	Took State	90 % survival of its natter, 200

- You shall ensure replacement of pollution control system or its parts after expiry of its expedted life as defined by manufacturer so as to ensure the compliance of standards and safety of the
- You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.......
- The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.



Annexure - I

Terms & conditions for incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

You shall observe following fuel pattern and erect following stack (s):

Cr Stack Attached	Stack Height
Sr. Stack Attached Fuel Type	Quantity (Mtr)
1 DG set 200 KVA Diesel	25.00 Ltr/Hr   1.76 5.00 1

- The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end-or erection of new pollution control equipment.
- The Board reserves its rights to vary all or any of the condition in the consent; if due to any technological improvement or otherwise such variation. Uncluding the change of any control equipment, either in whole or in part as necessary).
- Conditions for D.G. Set:
  - a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure. or by treating the room acoustically for control of noise:
  - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
  - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - D.G. Set shall be operated only in case of power failure.
  - g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
- You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain amblent air quality standard in respect of noise. to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

vadka 6062 niras

Lifeline Superspeciality Hospitalica WAN No. MPCB. CONSENT-0000117922 T30-07-101 03-59-25 pm) /QMS.POG\_F02/00

Trustee

Chairman

maritable

#### SCHEDULEN

# Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation; Segregation of Bio Medical Waste (EMW)! In waste categories and quantities listed here in below:

C	acegory	турео (Waste	to exceed (Kg) konth)	Searegation Colour coding	Treatment GD 50055 Bio medical Waste
	Yellow (a)	Human Anatomical	100.00	Yellow coloured non- chlorinated : plastic bags:	shall be sent to MPCE
	ь	Animal Anatomical aste	0.00	higane nega	Bioclean system Indi. Rvt Ltd., Solapur
	3107-3207-000 Calculation (1990)	Solled Waste	80.00		A supplied on the second
	la la	) Expired Of	115,00		THE CONTRACT OF THE CONTRACT O
	3377 BANG SOLE SALES	) Chemical Waste	0.00		
	Tan h	) Chemical Liquid Vaste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	50.00	Yellow coloured not schlamated plastic bags or suitable packing material	The state of the s
		h) Microbiology Biotechnology and other clinical laboratory waste	60,00	Autoclave safe plastic bags or containers.	Pre-treat to sterilize with nonchlorinated chemicals on-site aper National AIDS Control Organisation or World Health Organisation guidelines thereaff sent to BMW-CTF for Incineration.
2	Red	Contaminated waste (Recyclable)	200.00	Red coloured non chlorinated plasti bags or container	s. authorized BMW-6 Rioclean system
3	White (Translucent	Waste sharps including Metals	60.00	Puncture proof, Leak proof, tamp proof container.	low ith Solapur
	Blue	a) Glassware	20.00	Cardboard boxes	20
4	Diue	b) Metallic body implants	25.00	marking.	

Lifeline Superspeciality Hospitalica, VAN No. MPCB. CONSENT-0000 17777 40-97-2021 03:58:25 pm (QMS, POS F62,00

Chairman

#### SCHEDULE-II

#### Responsibilities of the HCE Owner and CTF Operator of the Facility

- You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility M/s Bioclean Systems India Pvt. Ltd. and maintain records thereof for 5 years.
- 2. You shall establish bar code for handling of blo-medical waste.
- You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
- 4. You shall not store Blo Medical waste beyond 48 hours from the generation
- 5. You shall use only non-chlorinated plastic coloured bags.
- You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
- 7. You shall not mix General/other Solid waste with Bio Medical Waste,
- 8 You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
- You shall pay the charges to authorized Common Blo Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
- 10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
- 11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/ metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
- 12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
- 13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
- 14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
- 15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
- You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
- 17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused/to the environment or the public due to improper handling of biomedical wastes.
- 18. You shall ensure submission of Annual Report of BMW for the period Jan to Declincluding category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Pune and uploading the same to MPCB Portal (https://www.ecmpcb.in/).
- 19. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 120 days of expiry.

Riswadkar to 6062 atshiras M12/2024

suandla ?

Lifeline Superspeciality Hospital/CRAUAN No. MPCB. CONSENT-0000117933 (PDF) 2021 03-58725 pm) (QMS.POG.F

The same of the sa

SCHEDULE-III

#### Bank Guarantees

1 - Bank Guarantee imposed to ensure timely compliance, to be observed by operator

I.o	varantee imposed to ensure timely con Activity/Condition to be Complied	Compliance I Timeline (Months)	Aniount
A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule	Continuous	50,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous +	700.000.00
16	Records		73 Ten 125 10
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	25,000.00
	To maintain records of BMW handed	Continuous	25,000.00
2,	over to CBMWTDF	The second secon	2,00,000.00

Note: You shall extend the above submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.



tevarity of the second second

Lifeline Superspeciality Hospital/CR/OAN NO. MPCB-CONSENT 0000112922 (30-07-2021 03-58425 pm) (QM5. FO6. F02/90

#### General/Canditions

#### The following general conditions shall apply:-

- You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and nazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in
- Whenever due to any accident or other unforeseen act or event; such emissions occur or is apprehended to occur in excess of standards laid down, such information small be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipments, the process connected
- You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain/compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
- You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
- You shall comply with the Hazardous Waste (M, H. & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office
- You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
- Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes snall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- Neither storm water nor discharge from other premises shall be allowed to mix with
- You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. register showing consumption of chemicals used for treatment shall be maintained.
- 10. You should not cause any nuisance in surrounding area. You shall maintain good
- 11. You shall bring minimum 33% of the available open land under green coverage plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
- The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated, 16/11/2009 as amended.

0117922 (30.07.2021 03;58:25 pm) /QMS,206\_F02/ Lifeline Superspecially Hospital OR/UAN No. MPCB Foundation Charitable Trust Trustee

VOC 8



#### General Conditions


#### The following general conditions shall apply/-

- You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and nazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in
- Whenever due to any accident or other unforeseen action event; such emissions occur or is apprehended to occur in excess of standards laid down, such information small be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipments, the process connected
- You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain/compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce of otherwise, control operation to abide by terms and conditions of this consent.
- You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
- You shall comply with the Hazardous Waste (M, H. & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office
- You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
- Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes snall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- Neither storm water nor discharge from other premises shall be allowed to mix with
- You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control systems. register showing consumption of chemicals used for treatment shall be maintained.
- 10. You should not cause any nuisance in surrounding area. You shall maintain good
- 11. You shall bring minimum 33% of the available open land under green coverage plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
- The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated: 16/11/2009 as amended.

1117922 (30-07-2021 03:58:25 pm) /QMS 206 F02 Trustee

Lifeline Superspeciality Hospital OR/UAN No. MPCB 100


Foundation Charitable Trust





रत INDIA

INDIA NON JUDICIAL



Mou


THIS IS TO BRING TO YOUR KIND INFORMATION THAT MEMORANDUM OF UNDERSTANDING BETWEEN SIDDHANATH FOUNDATION CHARITABLE TRUST, LIFELINE INSTITUTE OF NURSING COLLEGE, PANDHARPUR, DIST SOLAPUR 413304 IS BEING MADE AGREEMENT WITH DR SHEETAL K SHAH, NAVJEEVAN BAL RUGNALAY, PANDHARPUR, DIST SOLAPUR 413304 TO PROVIDE THE CLINICAL PRACTICE FOR STUDENTS FROM ACADEMIC YEAR 2021 TO 2026.

Noted and Registered

16

Sm

chairman-







#### <sub>सत्यवेग जयते</sub> महाराष्ट्र शासन

#### सार्वजनिक आरोग्य विभाग जिल्हा शल्य चिकित्सक कार्यालय,सोलापूर

प्रपत्र - सी (नियम ५ अन्वये )

#### बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन ॲक्ट १९४९ चे कलम ५ अन्यये नोंदणी प्रमाणपत्र

प्रमाणपत्र देण्यात येते की, दि बॉम्बे नर्सिंग होम्स रजिस्ट्रशन ॲक्ट १९४९ अन्वये

डॉ. शी/शीमती डॉ. ि शितल कातीसाल शहा	
यांचे त्वतनीवत चित्रहेत प्राक्तियामाप्रिश हास्पिटल पेंडर्पर	ोथील ्
नर्सिंग होम / मंटर्निटी होम रजिस्टर केले असून सदरचे नर्सिंग होम व मॅटर्निटी होम चालविण्यास परवानगी देण्यात	येत
आहे.	

नोंदणी क्र. 25

नोंदणी दिनांक 05 04 2007

प्रसुतीच्या रुग्णांकरिता ठेवलेल्या खाटांची संख्या

इतर रुग्णांकरिता वापरात असलेल्या खाटांची संख्या 00

90

05/04/2007 सर्टिफिकेट दिल्याचा दिनांक : 17/04/2023

सदरचे प्रमाणपत्र दिनांक : उ। 03 2026 पर्यंत कार्यवाहीत राहील.

10.11.23

न्या जिल्लाभूना चिकित्सक

	नुतनीकरण कालावधी		जि.श.चि. स्वाक्षरी
नुतनीकरण दिनांक -	पासून	पर्यंत	

१) हे प्रमाणपत्र हॉस्पीटलच्या दर्शनी दिसेल अशा ठिकाणी लावणे गरजेचे आहे.

२) आपल्या संस्थेत दाखल संसर्गजन्य करणांची माहिली (Notifiable Diseases) संबंधित उपजिल्हा/प्रामीण करणालयास कळविणे गरजेचे आहे.

जन्म मृत्यू नोंद संबंधित नगरपालिकेस वैळेवर कळविणे आपल्यावर बंधनकारक आहे.

४) कुटुंब कल्याण (पु./रबी) शस्त्रक्रिया आकडेवारी संबंधित उपजिल्हा/ग्रामीण रुणालयास कळविणे बंधनकारक आहे.

६) वायोमेडीकल बेस्ट नियम १९९८ क. ३२ व ४१/२००६ चे पालन करणे बंधनकारक आहे.

Shourman.

12.53

BEN WE & MERCHO

Maharashtra Pollution control Board Authorised


# SYSTEMS (INDIA) PVI. LTD BIOCLEAN

# CBMWTF

BIOCLEAN

BIOMAZARD





2007/2009/00/14/00/		325000000	
100 G			
		( B. 10)	
6.004			
			N
		1600	
F			
			ä
		100	
	, Marie		č
	300		
	335		
	in I		
	ASSET.		
		Estate 1	ij.
80000	-8		
		1424	
9000			
			Z
4.0	35000		Ą
	M.		١į
		31/03/2002	ř
	100		1
	法口	100	É
			ě
	\$-	<b>*</b>	1
	8.		ď
		حكك	á
	1		1
	me	40.00	á
	9	1000	
Ericking Labor	and the		
Section 1994			ğ
		400	
	-		
	<b>3</b> 1.		ò
	45	- A	300
1000	22102		
2000 100	Na.	1990	Ŕ,
			ä
		100	3
		de la compa	ğ
201			ğ
1000			3
82 Ob 1436			8
15000		1000	8
1000			8
30.0			8
		-76	۱
			١
	20		a
3	~~************************************		4
			3
			8
	. W	01/04/2023	ä
	<u></u>		ä
	land.	a de la constante de la consta	3
	and)	No.	8
			a
1000		120.00	8
		6000	3
100		8000	ä
3.0	i lak	15000	Ł
10000		1	
			H
3000 1000			
			ä
100			
	803		
	O		
	2		
	Du		
	DUIL	E	
	DIIII	E	
	Duillic	me.	
	oining	and the second	
	Joining	From	
	Johnno	Errom	
	of Joining	v From	
		by From	
		Illay Erom	
	e Of Joining	diby Erom	
	te Of Joining	idibi Erom	
	ate Ot Joining	lidibi-From	
	rate Or Joining	Slidiby From	
	Cate Of Joining	Validity From	
	Cate of Joining	Validity From	

4647 College Road, Behind Sargam Cinema, Pandharpur, Dist - Solapur

Address / Location

Name Of Institute Type Of Institute

Registration No.

Certify that above Doctor & Institute has been joined to "Bioclean Systems (India) Pvt. Ltd." CBMWTF for Collection, Transportation, Treatment & Disposal of Bio Medical Waste generated at there institute An application shall be made by The Occupier / Operator for renewal 30 days before expiry of certificate.

Prepaired By

Reviewed By

Metrans

Office - Plot No. OD-3, Lima Sahakari Gruhnirman Sanstha Maryadii Solapur, T.P. Scheme No. 4, Final Plot No. 125/2, Juni Mill compound Murarij Peth, Solapur - 413 001. Contact No :: (0217) 2721191, 9146011191, Email: bsplsip@rtingroup.co.m Authorised By

Corp. Office - NIN Group, R.S.No. 1243/364, 201 & 202, 2nd Floor, Karajgar. Chambers, Opp. Kolhapur Engg. Association, Shivaji Udyamnagar Kohapar (MH) - 416 008 Contact: 0231 - 2535800 Email - corporate@iningroup.co.in Visit Us - www.cingroup.co.in



#### MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781 Fax: 24024068/24023515 Website: http://mpcb.gov.in Email: pso@mpcb.gov.in



Kalpataru Point, 2nd and 4th floor, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E), Mumbal-400022

RED/S.S.I

No:- Format1.0/PSO/UAN No.0000140731/CR/2207000454

To,
Navjeevan Children Hosptial
C. S. No. 4647/2B/6/2, C. S. No. 4647/2B/6/2, College Road,
Behind Saragam Cinema, Pandharpur,
Tal. - Pandharpur, Solapur-413304
Email:drskshah\_009@yahoo.com
Contact No.:9822086691



Date: 08/07/2022

Renewal of Combined Consent and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref: 1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no. HOD-2102000251 dtd 04.02.2021.
  - 2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 09/06/2022
  - 3. SCN for refusal dtd 01.07.2022
  - 4. Document uploaded on 04.07.2022.

After examining the proposal, The Maharashtra Pollution Control Board hereby Renew Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Authorization under Rule 5 of the Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, Under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedules(I-IV)** and **Annexures (I-II)** enclosed in this order.

- This CCA shall be in force for a period From 21-04-2022 To 21-07-2027
- The capital investment of the HCF is ₹98.03 Lakhs (As per C.A Certificate Submitted by HCF)
- 3. HCF Area: Plot Area 314.73 M² with Built-up area 410.08 M².
- 4. Activities Included
  - a. Total Number of Beds : 90 Nos. (As per BNH certificate no. 25 valid upto 31-03-2023)
- 5. Conditions under the Water (P&CP) Act, 1974:-
  - Quantity of total water consumption shall not exceed 8.00 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.

rustee Chairman

Navjeevan Children Hosptiai/CR/UAN No.MPCB-CONSENT-0000140731 (08-07-2022-05:08:36 pm-pundation Charitable Trus

- You shall provide adequate treatment & disposal facility for sewage & Effluent generated as specified in Annexure-I
- You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.
- 6. Conditions under the Air (P&CP) Act,1981:-
  - You shall use the fuel for DG set as specified in the Annexure-II.
  - You shall provide adequate emission control system to DG set as specified in Annexure-II.
  - 3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.
- Conditions under Hazardous and Other Wastes(Management, Handling & 7. Transboundry Movement) Rules 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated i.e. ETP sludge in strict compliance with said rules and maintain record thereof.

Sr No Type of W	aste HW Category no.	Quantity	UOM	Disposal
1	NA	As per Actual	NA	NA

- 8. Conditions under Solid Waste Management rules 2016 (As Amended, 2018 and 2019):-
  - You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
  - 2. You shall Not mix general solid waste with Bio Medical Waste.
- Conditions under BMW Management rules, 2016 (As Amended, 2018 and 2019):-
  - You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
  - You shall segregate and handover BMW to BMW T&D CTF Bioclean Systems India Pvt. Ltd., Solapur Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
  - 3. Cytotoxic Drugs/ Waste: You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
  - 4. Mercury Waste: You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
- 10. You shall not undertake Modifications/ Upgrdation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.

Trustee Chairman Siddhanath Foundation Charitable Trust

Siddinariant outrement to the season of the

- 11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. in case of any change you shall apply fresh for CCA or amendment as applicable.
- 12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
- 13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
- 14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
- 15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
- 16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
- 17. As per SRO remark dtd 24.06.2022 the hospital has provided a separate storage facility for Bio-Medical Waste and provided an STP . Hence The Bank Guarantee of Rs.25000/- & Rs. 50000/- are eligible to release imposed towards the provision of separate BMW storage facility and To provide STP respectively.
- 18. You shall submit the bank guarantee of INR 75000/- towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Pune within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice



£1845e84

Signed by: Dr. Amar R. Supate Principal Scientific Office For and on behalf of Maharashtra Pollution Control Board pso@mpchgovin 2022-07-08 17:08:58 IST

#### Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	25000.00	TXN2206000787	08/06/2022	Online Payment
2	3360.00	TXN2206003296	30/06/2022	Online Payment
3	25000.00	TXN2206001015	09/06/2022	Online Payment

#### Copy to:

- 1. Regional Officer, MPCB, Pune and Sub-Regional Officer, MPCB, Solapur
- They are directed to ensure the compliance of the consent conditions.
- 2. Cheif Accounts Officer, MPCB, Sion, Mumbai
- I/C EIC- for record & website updating purpose.

Chairman Siddhanath Foundation Charitable Trust Pandharpur.

#### Annexure - I

#### Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2,	Domestic purpose	8.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	7.00	As per clause 'C'	Partially on land for gardening and excess in Municipal sewer line
2	Trade effluent	\$ <b>0</b> 5 \ 2 124	As per clause 'C'	NA

You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility. E.
- The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

Trustee

Chairman

Siddhanath Foundation Charitable Trust

Navjeevan Children Hosptial/CR/UAN No.MPCB-CONSENT-0000140731 (08-07

Annexure - II

# Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	D. G. Set (125 KVA)	Diesel	5.00 Ltr/Hr	5.00

- The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
- The Board reserves its rights to vary all or any of the condition in the consent, if due to
  any technological improvement or otherwise such variation (including the change of
  any control equipment, either in whole or in part as necessary).
- 4. Conditions for D.G. Set:
  - a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
  - b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
  - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - f. D.G. Set shall be operated only in case of power failure.
  - g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
- 5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

Trustee Chairman Siddhanath Foundation Charitable Trust Pandharpur.

#### SCHEDULE-I

#### Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Si		Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colou coding	r Treatment & Disposal
1	1 Yellow	a) Human Anatomical waste	80.00	Yellow coloured non- chlorinated	Bio medical Waste shall be sent to MPCB
		b) Animal Anatomical Waste	0.00	plastic bags.	authorized BMW-CTF Bioclean Systems India
		c) Solled Waste	40.00		Pvt. Ltd., Solapur Solapur
		d) Expired or Discarded Medicines	10.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	20.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	20.00	Autoclave safe plastic bags or containers.	Pre-treat to sterilize with nonchlorinated chemicals on-site as per National AIDS Control Organisation or World Health Organisation guidelines thereafter sent to BMW-CTF for Incineration.
2	Red	Contaminated waste (Recyclable)	1	chlorinated plastic	Bio medical Waste shall be sent to MPCB authorized BMW-CTF
3	White (Translucent)	Waste sharps including Metals		eak proof tamper	Bioclean Systems India Pvt. Ltd., Solapur Solapur
4	Blue	a) Glassware		Cardboard boxes	
		b) Metallic body implants	111111111111111111111111111111111111111	with Blue coloured marking.	

Trustee Siddhanath Foundation Charitable Trust

Chairman

Pandharpur.

Navjeevan Children Hospital/CR/UAN No.MPCB-CONSENT-0000140731 (08-07-2022 05:08:36 pm)

SCHEDULE-II

#### Responsibilities of the HCE Owner and CTF Operator of the Facility

- You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility Bioclean Systems India Pvt. Ltd., Solapur and maintain records thereof for 5 years.
- 2. You shall establish bar code for handling of bio-medical waste.
- You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
- 4. You shall not store Bio Medical waste beyond 48 hours from the generation.
- You shall use only non-chlorinated plastic coloured bags.
- You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
- 7. You shall not mix General/other Solid waste with Bio Medical Waste.
- You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
- You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
- You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
- 11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/ metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
- 12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
- 13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
- 14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
- 15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
- 16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
- 17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of biomedical wastes.
- 18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Pune and uploading the same to MPCB Portal (https://www.ecmpcb.in/).
- 19. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 120 days of expiry.

Sm

#### SCHEDULE-III

#### **Bank Guarantees**

Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	25,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTDF	Continuous	10,000.00
	Total		75,000.00

Note: You shall extend the above submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.



Trustee
Siddhanath Foundation Charitable Trust
Pandharpur.

#### **General Conditions**

#### The following general conditions shall apply:-

- You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
- You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
- 4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Pune.
- 6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
- Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
- 9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
- 11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
- 12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

- You shall submit an official e-mail address and any change will be duly informed to the MPCB.
- 15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
- 16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
- 17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhave to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
- 18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.

This certificate is digitally & electronically signed.



Trustee
Siddhanath Foundation Charitable Trust
Pandharpur.

# Navjivan Rugnalay Hospital, Pandharpur

Beds	No. of Sanction	Occupancy	
		Day of Inspection	Monthly
Medical	30	78%	79%
Surgical	30	79%	80%
Orthopedic	15	80%	80%
O.B.G.Y.	30	78%	77%
Ophthalmic	3	80%	81%
E.N.T.	2 2 2	81%	80%
Peadiatric	20	78%	78%
Psychiatric Psychiatric	17 Table 17 Table 22		
Skin Skin	4	80%	81%
Infectious Diseases			A property of the second secon
Nephrology.	2 2 2 2	76%	78%
Urology	2	78%	80%
Neurology	(1) (2) (3)	82%	80%
Oncology	AND ASSESSMENT OF THE PROPERTY	CHARLES TOWNSHIPS	Arm profit
Casualty / Emergency	5	80%	80%
O.P.D.	5.11.2	78%	78%

Dr. Shital K Shah M.D. D. C. D. D. B. (Paed R.) Reg. No. 40909 Navleevan Children's Hospital Behind Sargam Cinema Pandharpur

Trustea Chairman Studhanath Feundation Chairman Pangharath



Suplicate

#### महाराष्ट्र शासन

#### सार्वजनिक आरोग्य विभाग जिल्हा शल्य चिकित्सक कार्यालय,सोलापूर

प्रपत्र - सी (नियम ५ अन्वये )

बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन ॲक्ट १९४९ चे कलम ५ अन्वये नोंदणी प्रमाणपत्र

प्रमाणपत्र देण्यात येते की, दि बॉम्बे नर्सिंग होम्स रजिस्ट्रशन ॲक्ट १९४९ अन्वये डॉ. श्री/श्रीमती डा. स्त्रीकात करी नाम देवकत यांवे चिर्देजी व हास्पिट्स असती मार्जी पढरपूर निर्संग होम/मॅटर्निटी होम रजिस्टर केले असून सदरचे निर्संग होम व मॅटर्निटी होम चालविण्यास परवानगी देण्यात येत आहे.

नोंदणी क्र.

नोंदणी दिनांक 05/04/2007

5/4/2007 सर्टिफिकेट दिल्याचा दिनांक : 23/03/2023

सदरचे प्रमाणपत्र दिनांक : 31 63 2026 पर्यंत कार्यवाहीत राहील.

प्रस्तीच्या रुग्णांकरिता ठेवलेल्या खाटांची संख्या

इतर रुग्णांकरिता वापरात असलेल्या खाटांची संख्या 30

20

to an armine and a second second second	नुतनीकरण कालावधी		जि.श.चि. स्वाक्षरी	
नुतनीकरण दिनांक —	पासून	पर्यंत		
Applications of the second sec				

१) हे प्रमाणमत्र हॉस्पीटलच्या दर्शनी दिसेल अशा ठिकाणी लावणे गरजेचे आहे. २) आपल्या संस्थेत दाखन संसर्गजन्य रुग्णांची माहिती (Notifiable Diseases) संबंधित उपजिल्हा/प्रामीण रुग्णालयास कळविणे गरजेचे आहे.

जन्म मृत्यू नोंद संबंधित नगरपालिकेस देळेवर कळविणे आपल्यावर बंधनकारक आहे.

कुटंब कल्याण (पु./स्ती) शस्त्रक्रिया आकडेवारी संबंधित उपजिल्हा/ग्रामीण रुग्णालयास कळविणे बंधनकारक आहे.

५) संस्थेत कार्यरस निर्मेग स्टाफ बॉम्बे नर्सेस मिडवाईफस ॲन्ड हेल्थ व्हिजीटर्स ॲक्ट १९५४ नुसार प्रशिक्षित् अ सण्याच्या अदीवर सदरची नोंदणी देण्यात आले आहे.

६) बायोमेडीकल बेस्ट नियम १९९८ क. ३२ व ४१/२००६ चे पालन करणे बंपनकारक आहे.

#### MAHARASHATRA POLLUTION CONTROL BOARD REGIONAL OFFICE - PUNE

020-25811627 Phone : 020-25811701

Fax

ropune@mpcb.gov.in Email http://mpcb.gov.in Visit At :



Jog Center, 3rd floor, Mumbai Pune Road, S.No. 21/5, F.P.No.28, Wakdewadi, Shivajinagar, Pune - 411003

"Your Service is Our Duty"

#### LETTER OF BIO-MEDICAL WASTE AUTHORISATION

[Authorisation for Generation, Storage, Disposal of Bio-Medical Wastes under Rule X(4)]

File number of authorisation and date of issue

#### MPCB/ROP/BMW-AUTH/2201000016

2021 Date 03 |01 2022

- M/s. CHIRANJEEV HOSPITAL is hereby granted an authorization for generation of biomedical waste on the premises situated, DR., SHRIKANT & DEOKATE, BHAKTI MARG, NEAR BLOOD BANK, PANDHARPUR, TAD. - PANDHARPUR, DIST - SOLAPUR.
- Your Application: MPCB-BMW\_AUTH-0000086204 III.
- This authorisation shall be in force for a period up to 31.03.2024 IV
- An application shall be made by the occupier operator for renewal 3 Months before expiry of earlier authorisation.
- This authorisation is issued subject to compliance of the conditions stated below VL and to such other conditions as may be specified in the Rules for the time being in force under the Environment (Protection) Act, 1986, Littu Shows

No of Bed: 50 VII

Terms and Conditions of authorisation

1. The authorized Person shall comply with the provisions of the Environment (Protection) Act, 1986, and the Rules made there under.

2. The authorisation shall be produced for inspection at the request of an officer authorized by the prescribed authority.

3. i) The authorized person shall not rent, lend or sell the biomedical waste or facility.

ii) The authorized person can transfer the BMW generated at above premises to the "Transporter" or "Operator of Facility" authorized by MPCB under Bio-Medical Waste (Management and Handling) Rules, 1998 for collection, transportation, treatment and/or disposal of BMW generated.

4. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorisation.

5. It is the duty of the authorized person to take prior permission of the prescribed authority to close down the facility.

MPCB-BMW\_AUTH-0000038799



Page 1of 5

6. The authorisation is granted for generation of Bio-Medical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No.	Category	Description	Quantity not to exceed (Kg/M)	Segregation Colour coding	Treatment & Disposal
1	Yellow	Human Anatomical Waste	31.0	Yellow	Incineration
		Solied Waste:		Yellow	type n sevenus
		Items contaminated with blood	With the	This is to	A special of the local of the l
	<b>建筑</b>	Expired or	1111	Yellow	Incineration
		Discarded Medicine		12.12.13.14	Constant
		Clinical Laboratory Waste		Yellow	Incineration !
	100000	Chemical Liquid Waste	As per Actual	Separate	recovery. the
	USAKAKA S	X-ray hypo solution (fixture)	The second	leading to	waste shall be pre- treated before
		(inxture)	Mer C	ETP	wastewater. The
			i de la constante de la consta	YET IN	given in Schedule-II
	- 1	Contaminated	100	Red	Autoclaving
2	Red	Waste(Recyclable)	Circles Coll.	1005111 100	shredding
3	Blue	Waste Sharp	3.0	Blue / white translucent	(chemical
		Byx	图 2		mutilation shredding

No onsite treatment of BMW is permitted. The above mentioned Bio indical Waste shall be sent to Common BMW Treatment & Disposal facility i.e.

M/s. Bioclean Systems India Pvt. Ltd. Solapur

7. The hospital authority shall proper collection of mercury spillage arising due to breakage of thermometer, pressure gauges & other equipments used in health care facilities as well as the storage shall be in accordance with Hazardous Waste (Management, Handling & Transboundry Movement) Rules, 2008 and returning it to instrument manufacturing apart from taking necessary steps to ensure that the spilled mercury does not become a part of Bio-Medical Waste or other solid waste generated from Health Care Facilities.

8. The liquid/solid waste generated from the treatment activity (from laboratory and washing, cleaning, housekeeping and disinfecting activities) shall be treated suitably by providing effluent treatment facility to conform the standards prescribed in Schedule V of said Rules and the Environment (Protection) Act, 1986.

MPCB-BMW\_AUTH- 0000038799

Page 2of 5

- (i) The daily quantity of trade efficient shall not exceed NII
- (ii) The daily quantity of sewage effluent shall not exceed 4.0 M<sup>3</sup>
- shall be treated and disposed of in accordance with Schedule I; and in compliance with the standards prescribed in Schedule V of said Rules.
- BMW shall not be mixed with other wastes or reused, recycled or sold in any form. (i) 10.
  - BMW shall be segregated into containers / bags at the point of generation in accordance with Schedule-II prior to storage, treatment and disposal. The (ii) containers shall be labeled according to Schedule III.

Character Linux Constitution Legislation

table, legitally by the depart of the state of the property to the coult of

出一种图16.为进行现象是法律

Colorado Barrior

- If a container containing BMW is to be transported from the premises where BMW is generated to any waste treatment facility outside the premises, the (iii) container shall, apart from the Label prescribed in Schedule III, also carry information prescribed in Schedule IV and shall be transported by authorized Transporter only.
- Notwithstanding anything contained in the Motor Vehicles Act, 1988 or Rules there under, BMW shall be transported only in such vehicle as may be authorized (iv) for the purpose by the competent authority as specified by the Government.
- No untreated BMW shall be kept stored beyond a period of 48 hours. (v)
- The autoclave should be dedicated for the purposes of disinfecting and treating Bio-Medical 11. Waste,
  - (I) When operating a gravity flow autoclave medical waste shall be subjected to:
    - (i) A temperature of not less than 121 Co and pressure of 15 pounds per Square inch (psi) for an autoclave residence time of not less than 60 minutes;
    - (ii) A temperature of not less than 135 Co and a pressure of 31 psi for an autoclave residence time of not less than 45 minutes;
    - (iii) A temperature of not less than 149 Co and a pressure of 52 psi for an autoclave residence time of not less than 30 minutes.
  - When operating a vacuum autoclave, medical waste shall be subjected to a minimum of one pre-vacuum pulse to purge the autoclave of all air. The waste shall be subjected to the following.
    - (i) a temperature of not less than 121 C and a pressure of 15 psi for an autoclave residence time of not less than 45 minutes;
    - (ii) a temperature of not less than 135 Co and a pressure of 31 psi for an autoclave residence time of not less than 30 minutes; of

Page 3 of 5

- Medical waste shall not be considered properly treated unless the time, temperature and pressure indicators indicate that the required time, temperature and pressure were reached during the autoclave process. If for any reasons, time temperature or pressure indicates that the required temperature, pressure or residence time was not reached, indicates that the required temperature, pressure or residence time was not reached, the entire load of medical waste must be autoclaved again until the proper temperature, pressure and residence time were achieved.
  - (IV) Recording of operational parameters,—Each autoclave shall have graphic or computer recording devices which will automatically and continuously monitor and record dates, time of day, load identification number and operating parameters throughout the entire length of the autoclave cycle.
  - Validation test: Spore testing. The autoclave should completely and consistently kill the approved biological indicator at the maximum design capacity of each autoclave unit.

    Biological indicator for autoclave shall be Bacillus stearothermophilus spores using vials or spore strips, with at least 1x 10<sup>4</sup> spores per milliliter. Under no circumstances will an spore strips, with at least 1x 10<sup>4</sup> spores per milliliter. Under no circumstances will an autoclave have minimum operating parameters less than a residence time of 30 minutes, autoclave have minimum operating parameters less than a residence time of 30 minutes, regardless of temperature and pressure, a temperature less than 121 Co or a pressure, less than 15 psi.
    - (VI) Routine Test.—A chemical indicator strip/tape that changes color when a certain temperature is reached can be used to verify that a specific temperature has been achieved. It may be necessary to use more that one strip over the waste package at different location to ensure that the inner content of the package has been adequately autoclaved.
- 12. Every 'Authorized Person' shall submit an Annual Report to the prescribed authority in Form-II by 31" January every year including information about the categories and quantities of BMW handled during the preceding year.
  - 13. (i) Every Authorized Person shall maintain records related to the generation, collection, reception, storage, transportation, treatment, disposal and/or any form of handling of BMW in accordance with these Rules and any guidelines issued.
    - (ii) All records shall be subject to inspection and verification by the prescribed authority at any time.
  - When any accident occurs at any institution or facility or any other site where BMW is handled or during transportation of such waste, the authorized person that report the accident in Form III to the prescribed authority forthwith.
    - The applicant shall submit Bank Guarantees at the Regional Office P.C.

      Board, Pune within 15 days of the date of issue of Authorization. The Bank Guarantee(s) shall be valid up to validity 30.06.2023 of this authorization. The details of Bank Guarantees to be Abmitted are as below.

Charitable Panal Reg No - Panal Reg 1735

Page 4of 5

Sr. No.	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
I (A)	Operation and Maintenance	Desperation to be after	of cool
1	To Segregate and Handle BMW as per Rule	Continuous	25,000/-
1 (B)	Records		127/21/21/21/21
1	To Maintain records of BMW, generation, transportation, treatment & disposal and submission of Annual Report in Form -II before 31st January every year.	Continuous 1	
II	Performance	G12 1 615	25,000/-
1	To provide Separate BMW storage facility As per guidelines of CPCB.	Six	25,000/-
2	Towards Operation & Maintenance of pollution control systems.	Continuous	earne Cons
3	Effluent Treatment Plant Not provided	Six	O50000/-

The Occupier will obey all the lawful instructions issued by the Board Officers from time to 17. time.

You Shall Obatin Separate Consent under water (Prevention & Control of 18. Pollution) Act, 1974&Air (Prevention & Control of Pollution) Act, 1981

-For and on behalf of the Maharashtra Pollution Control Board

> (Nitin Shinde) I/c Regional Officer, Pune

To, M/s. CHIRANJEEV HOSPITA DR. SHRIKANT K. DEOKATE, BHAKTI MARG, NEAR BLOOD BANK, PANDHARPUR, TAL. - PANDHARPUR, DIST - SOLAPUR.

Sr. No. Amount (Rs.)	Transaction No	Date
1. 7500/-	TXN2107002823	28-07-2021

Copy to:

1) Sub-Regional Officer, MPCB -P-I/P=II/P.C./Satara/Solapur

For Information & with instruction to Monitor the Necessary Compliance of the Condition stipulated in the Letter of Auhorization

Chief Accounts Officer, MPCB, Mumbai 2)

Page 5 of 5

al ingit

i iki



### 'Duplicate

#### <sub>मत्यभेव</sub> जयते महाराष्ट्र शासन

#### सार्वजनिक आरोग्य विभाग जिल्हा शल्य चिकित्सक कार्यालय,सोलापूर

प्रपत्र - सी (नियम ५ अन्वये )

बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन ॲक्ट १९४९ चे कलम ५ अन्वये नोंदणी प्रमाणपत्र

प्रमाणपत्र देण्यात येते की, दि बॉम्बे नर्सिंग होम्स रजिस्ट्रशन ॲक्ट १९४९ अन्वये

डॉ. श्री/श्रीमती डी ॰ स्टूडिश माहन लाल दिशि।

यांचे अन्निन्द होम रजिस्टर केले असून सदरचे नर्सिंग होम व मॅटर्निटी होम चालविण्यास परवानगी देण्यात येत आहे.

नोंदणी क्र. 21

प्रसुतीच्या रुग्णांकरिता वेवलेल्या खाटांची संख्या 55

नोंदणी दिनांक 05/04/2007

इतर रुग्णांकरिता वापरात असलेल्या खाटांची संख्या

05

सर्टिफिकेट दिल्याचा दिनांक : 23/02/2023

सदरचे प्रमाणपत्र दिनांक : 01 04 2023 पर्यंत कार्यवाहीत राहील.

TO 31/03/2026



2 0:	नुतनीकरण कालावधी		जि.श.चि. स्वाक्षरी
नुतनीकरण दिनांक	पासून	पर्यंत	
			2
		¥	

१) हे प्रमाणपत्र हॉस्पीटलच्या दर्शनी दिसेल अशा ठिकाणी लावणे गरजेचे आहे.

आपल्या संस्थेत दाखल संसर्गजन्य रुणांची माहिती (Notifiable Diseases) संबंधित उपजिल्हा/ग्रामीण रुणालयारा कळविणे गरजेचे आहे.

जन्म मृत्यू नोंद संबंधित नगरपालिकेस वेळेवर कळविणे आपल्यावर बंधनकारक आहे.

४) कुटुंब कल्याण (पु./स्त्री) शस्त्रक्रिया आकडेवारी संबंधित उपजिल्हा/ग्रामीण रुग्णालयास कळविणे बंधनकारक आहे.

है) कुदु करपाण (पु.) आ) राज्याच्या जायज्यात पायज्यात पायज्यात पायज्यात अवस्थित असण्याच्या अटीवर सदरची नोंदणी देण्यात आले आहे. ५) संस्थेत कार्यरत नर्सिंग स्टाफ बॉम्बे नर्सेस मिडवाईफस ॲन्ड हेल्थ व्हिजीटर्स ॲक्ट १९५४ नुसार प्रशिक्षित असण्याच्या अटीवर सदरची नोंदणी देण्यात आले आहे.

६) बायोमेडीकल बेस्ट नियम १९९८ क्र. ३२ व ४१/२००६ चे पालन करणे बंधनकारक आहे.

## MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0217-2319850 Fax: 0217-2319850

Website: http://mpcb.gov.in Email: srosolapur@mpcb.gov.ln



4/B, Bali Block, Civil Lines, Oppsite Government Milk Scheme, Saat Rasta, Solapur - 413003.

ORANGE/S.S.I No:- Format1.0/SRO/UAN No.MPCB-CONSENT-0000164099/CO/2307000009

Date: 02/07/2023

To, Agraj Hospita, CS No. 4776, Plot No 96, Datta Nagar, Karad Road, Pandharpur, Dist: Solapur -413304 Email:sudeshdoshl@yahoo.com Contact No.:9422653953



Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

Ref: Your application for Combine Consent and Bio-Medical Waste Authorization dated 03/03/2023 with UAN MPCB-CONSENT-0000164099

The consent to establish is granted for a period up to commissioning of the unit or up to 5 year whichever is earlier, under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the Schedule(I-IV) and Annexure (I-II) enclosed in this order.

- This CCA shall be in force for a period From 28-02-2023 To 31-12-2026
- The capital investment of the HCF is ₹115.45 Lakhs (As per C.A Certificate Submitted by HCF)
- 3. HCF Area: Plot Area 765.00 M<sup>2</sup> with Built-up area 1222.00 M<sup>2</sup>.
- 4. Activities Included
  - a. Total Number of Beds : 60 Nos. (As per BNH certificate no. 21 valid upto 31-03-2026)
  - I. General Beds: 4 Nos
  - II. Operation Theatre: 1 Nos
- III. Maternity Beds: 55 Nos
- 5. Conditions under the Water (P&CP) Act, 1974:-

- 1. Quantity of total water consumption shall not exceed 2 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
- 2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
- 3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

#### 6. Conditions under the Air (P&CP) Act,1981:-

- You shall use the fuel for DG set as specified in the Annexure-II.
- You shall provide adequate emission control system to DG set as specified in Annexure-II.
- 3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

# Conditions under Hazardous and Other Wastes (Management, Handling & 7. Transboundry Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No Type of Waste	HW Category no.	Quantity UOM	Disposal
The state of the s	NA		

#### 8. Conditions under Solid Waste Management rules 2016

- 1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
- 2. You shall Not mix general solid waste with Bio Medical Waste.

#### 9. Conditions under BMW Management rules, 2016 (As Amended):-

- 1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
- 2. You shall segregate and handover BMW to BMW T&D CTF **Bioclean Systems India Pvt. Ltd., Solapur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
- 3. Cytotoxic Drugs/ Waste: You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
- 4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
- 10. You shall not undertake Modifications/ Upgrdation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
- 11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.

244

- 12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
- 13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
- 14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
- 15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
- 16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
- 17. The Bank Guarantee(s) as per schedule III shall be submitted by the applicant in favour of Regional Officer Pune within 15 days of the date of issue of Consent.





174a3bfc 89686300 f8abc8b6 ab68b64a f616eb2d 92c43ac8 101c662b 4bd33dd4

Signed by: Nikhil J More
Sub Regional Officer
For and on behalf of
Maharashtra Pollution Control Board
srosolapur@mpcb.gov.in
2023-07-02 12:05:11 IST

### Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	45000.00	TXN2303000739	04/03/2023	Online Payment

### Copy to:

- 1. Regional Officer, MPCB, Pune for information.
- They are directed to ensure the compliance of the consent conditions.

  SRO They are directed to ensure the compliance of the consent conditions.
- 2. Cheif Accounts Officer, MPCB, Sion, Mumbai
- 3. I/C EIC- for record & website updating purpose.

### Annexure - I

# Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	2.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	
5.	Other such as agriculture, gardening, etc.	0.00
5.	Other such as agriculture, gardening, etc.	

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal	
1	Domestic Sewage	1.50	As per clause 'C'	100% Recycle	
2	Trade effluent	0	As per clause 'C'	100% Recycle	

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

	Discharge Standards applicable Limiting Concentration in mg/except for pH		
Parameters			
рН	6.5-9.0		
<u> </u>	10		
	30		
	250		
	100		
	90 % survival of fish after 96 hours in 100 % effluent		

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

Annexure - II

# Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
ostea (SMA	DG Set (80 KVA)	Diesel	15.00 Ltr/Hr	3.00

- The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
- The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
- 4. Conditions for D.G. Set:
  - a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
  - b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
  - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - D.G. Set shall be operated only in case of power failure.
  - g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
- 5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

## SCHEDULE-I

# Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste		non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean Systems India Pvt. Ltd., Solapur Solapur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	7.00		
		d) Expired or Discarded Medicines	4.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	3.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
	-	h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	Pre-treat to sterilize with nonchlorinated chemicals on-site as per National AIDS Control Organisation or World Health Organisation guidelines thereafter sent to BMW-CTF for Incineration.
2	Red	Contaminated waste (Recyclable)	5.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean Systems India Pvt. Ltd., Solapur Solapur
3	White (Translucent)	Waste sharps including Metals	3.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean Systems India Pvt. Ltd., Solapur Solapur
4	Blue	a) Glassware	1.00	Puncture proof, Leak proof with	Bio medical Waste shall be sent to MPCB
		b) Metallic body implants	0.00	Blue coloured marking.	authorized BMW-CTF Bioclean Systems India Pvt. Ltd., Solapur Solapur

253

#### SCHEDULE-II

# Responsibilities of the Health Care Facility

- You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility Bioclean Systems India Pvt. Ltd., Solapur and maintain records thereof for 5 years.
- 2. You shall establish bar code for handling of bio-medical waste.
- 3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
- 4. You shall not store Bio Medical waste beyond 48 hours from the generation.
- 5. You shall use only non-chlorinated plastic coloured bags.
- 6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
- 7. You shall not mix General/other Solid waste with Bio Medical Waste.
- 8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
- You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
- 10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
- 11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/ metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
- 12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
- 13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
- 14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
- 15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
- 16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
- 17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of biomedical wastes.
- 18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Pune and uploading the same to MPCB Portal (https://www.ecmpcb.in/).

# SCHEDULE-III

### **Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

r.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Performance		
1	To Segregate and Handle BMW as per Rule	Continuous	25,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report in Form -II before 31st January	Continuous	15,000.00
2	Operation and Maintenance		
1	To provide STP/ETP and BMW separate storage facility as per guidelines of CPCB	Continuous	25,000.00
	Total	65,000.00	

Note: You shall extend the previously submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.



#### SCHEDULE-IV

### **General Conditions**

# The following general conditions shall apply:-


- You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
- You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
- 4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Pune.
- 6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
- 7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
- You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
- 11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
- 12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.
- You shall submit an official e-mail address and any change will be duly informed to the MPCB.



- You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
- 16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
- 17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhave to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
- 18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
- 19. The Energy source for lighting purpose shall preferably be LED based.
- 20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
- 21. You shall provide personal protection equipment as per norms of Factory Act 1948
- 22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.





THIS IS TO BRING TO YOUR KIND INFORMATION THAT MEMORANDUM OF UNDERSTANDING BETWEEN SIDDHANATH FOUNDATION CHARITABLE TRUST, LIFELINE INSTITUTE OF NURSING COLLEGE, PANDHARPUR, DIST SOLAPUR 413304 IS BEING MADE AGREEMENT WITH DR RUTUJA NARAYAN UTPAT, MANODAY HOSPITAL, MANORUGNALAY AND VYASANMUKTI KENDRA, PANDHARPUR, DIST SOLAPUR 413304 TO PROVIDE THE CLINICAL PRACTICE FOR

Marine erzelfen errente 1270 f. - 1



गरदमेव कार्ति

# महाराष्ट्र शासन

# सार्वजनिक आरोग्य विभाग जिल्हा शस्य विकित्सक कार्यालय सोलापूर

प्रपत्र - सी (नियम ५ अन्वये )

बॉम्बे नर्सिंग होम्स रजिल्ह्रेशन ॲक्ट १९४९ चे कलम ५ अन्वये नोंद्णी प्रमाणपत्र

प्रमाणपत्र देण्यात येते की, दि बॉम्बे मर्सिंग होम्स रजिस्ट्शन ॲक्ट १९४९ अन्वये

डॉ. श्री/श्रीमती हो। अइतुजा नाशया उत्पात् यांचे सन्ति ह्या स्पित् प्रतिक्ष्मणालय न क्यसनमुक्ती केंद्र प्रवेरपुर येथील निर्तित होम/मॅटर्निटी होम रजिस्टर केले असून सदस्ये निर्तित होम व मॅटर्निटी होम बॉलविण्यास परवानगी देण्यात येत आहे.

नोंदणी का. 529

नोंदणी दिनांक 01 09 2021

प्रसुतीच्या चणांकरिता देवलेल्या खाटांची संख्या

इतर रुग्गांकरिता वापरात असलेल्या खाटांधी संख्या 00

HOLD THE PROPERTY WAS TO THE WINE

50

सर्टिफिकेट दिल्यामा दिनांक : 01/09/2021

सदरचे प्रमाणपत्र दिनांक : 31 03 2024 पर्यंत कार्यवाहीत राहील.

ा जोहर्मस्य जिल्हा शत्यो चित्रस्य तथा जिल्हा शत्यो चित्रस्य

A Day Original	नुतनीकरण	जि.श.चि. स्वाक्षरी	
नुतनीकरण दिनांक	पासून	पर्यत	John Jan College
AND THE PROPERTY OF THE PARTY O			
	14		A CONTRACTOR OF THE PARTY OF TH
			<b>国籍的</b> 法数
		THE RESERVE TO SERVE THE PARTY OF THE PARTY	

- है प्रमाणपंत्र हॉस्पीटलब्या दर्शनी दिसेल अशा विकाणी लावणे गरजेचे आहे.
- २) आपल्या संस्थेत वाळल संसर्गजन्य रुग्णांची माहिती (Noullable Diseases) संबंधित छपजिल्हा/प्रामीण रुग्णासयास काळविणे गरेजेचे आहे.
- अन्य मृत्यू माँड संबंधित मगरपालिकेस वेळेवर कळविणे आपल्यावर बंधनकारक आहे.
- ४) कुट्च कल्याम (पु./स्बी) शस्त्रक्रिया आकडेवारी संबंधित उपजिल्हा/प्रामीण रुगमस्यास कळविणे बंधनकारक आहे.
- ५) संस्थेत कार्यरत निर्मित स्टाफ बॉम्बे नर्गेस निहवाईफस ॲन्ड हेल्थ व्हिजीटर्स ऑक्ट १९५४ गुनार प्रतिक्षित असण्याच्या अटीवर सदस्वी नॉटणी देण्यात आले आहे.
- ह) बायोमेडीकल बेस्ट नियम १९९८ क. ३२ व ४१/२००६ में पासन करणे बंधनवारक आहे.

महाराष्ट्र शासन वैद्यक्तिय अधिक्षक, उपजिल्हा रुग्णालय पंढरपूर दुर्ध्यनी इ.(रुणालय)- ०२१८६ २२११८१ प्रवम व शुर्ध्यनी(सर्यालय)- ०२१८६ २२५१०१ र्यम् सम्बागे जवळ, पंदरपुर -ई-मेल :-sdhpandharpur20@gmail.com आरोग्य सेवा ज्ञान अधिकार्य (१८८८) १००० विकास १८८८ विकास १८८ विकास १८८८ विकास १८८ विकास १८८८ विकास १८८ वि

CEO, SIDDHANATH FOUNDATION CHARITABLE TRUST'S, LIFELINE INSTITUTE OF NURSING.

SUBJECT : PERMISSING TO ALLOW TRAINING FOR BSC NURSING STUDENTS.

AS PER YOUR REQUEST LETTER DATED 23/9/2022 WE ARE ALLOWING YOUR STUDENTS OF BSC NURSING TO WORK IN SDH PANDHARPUR AS TRAINEE. THEY HAVE TO FOLLOW ALL THE RULES AND REGULATIONS OF THE HOSPITAL.

MEDICAL NUPERINTENDENT SDH PANDHARPUR

अधिकारण स्वा का बावालय प्राप्त

Trustee Chairman



# महाराष्ट्र शासन सार्वजनिक आरोग्य विभाग

वैद्यकिय अधिक्षक, ग्रामीण रुगणालय करकंब ,ता. पंढरपूर , जिसोलापूर .

द्रध्वनी क्र- ०२१८६२४२४२५-

Email ID: rhkarkamb@gmail.com

To,

CEO SIDDHANATH FOUNDATION CHARITABLE TRUST'S, LIFELINE INSTITUTE OF NURSING.

SUBJECT; PERMISSION TO ALLOW TRAINING FOR BSC NURSINGSTUDENTS.

AS PER YOUR REQUEST LETTER DATED 25/09/2022 WE ARE ALLOWING YOUR STUDENTS OF BSC NURSING TO WORK IN RH KARKAMBAS TRAINEE THEY HAVE TO FOLLOW ALL THE RULES AND REGULATIONS OF THE HOSPITAL.

MEDICAL SUPERINTENDENT

RH KARKAMB.

Medical Superintendent CI-L Rural Hospital, Karkamb Tal. Pandharpur, Dist. Solapur

Chairman Siddhanath Foundation Charitable Trust